


5 YEAR WARRANTY

UPC

Sugg.
Retail
ATUC 50 DIGITAL DISCUSSION SYSTEM

Featuring easy-to-use, plug-and-play functionality, the ATUC-50 Digital Discussion System offers reliable, clear and intelligible communication to significantly increase meeting efficiency and effectiveness. The system provides 24-bit/48kHz uncompressed digital audio for natural-sounding voice reproduction, along with a 12-band feedback suppressor that enables higher volume levels.

ATUC-50CU	ATUC-50CU Control Unit • Powers up to 50 discussion units • Cascade capability to handle up to 150 discussion units • Control available via web remote interface • Conference mode: Free talk, request to talk and full remote • Built-in feedback suppressor and processing for optimal audio quality	042005190003	3,075.00
ATUC-50DU	Discussion Unit with high-quality audio • Individual Automated Gain Control (AGC), Mic gain and Mic EQ • Compatibility with standard XLR3 pin gooseneck • High quality speaker for enhanced intelligibility • Clear LED display for volume control and channel selection	4961310134891	740.00
ATUC-50INT	Simultaneous interpretation unit • Up to three languages • Intuitive web remote-based conference management • Link two ATUC-50INTs for hardware redundancy • Select between 3 interpretation channels on ATUC-50DU discussion units, or the languages can be transferred to existing wireless language distribution system via ATUC-50CU control unit • Onboard four-channel recorder • 3-pin XLRF-type input for use with ATUC-M43H or ATUC-M58H microphones • Includes a talk button, volume/channel/language group display, channel selection buttons, A/B interpretation languages selection buttons, built-in speaker, 3.5 mm (1/8") headphone jack with volume control, two LED indicators, and two RJ45 ports. Designed for tabletop or recessed mounting.	42005193271	759.00
ATUC-50IU	Discussion System Integration Unit • Designed to mount quickly and discreetly on the underside of a table or elsewhere, the ATUC-50IU integration unit gives installers the flexibility to choose the inputs and outputs best suited for a particular installation. Equipped with two RJ45 ports for connection to other discussion system components, seven Euroblock connectors for audio and control options, and six Euroblock connectors for LED power and general-purpose input/output (GPIO).		740.00
ATUC-M43H	3-PIN MICROPHONE WITH LED RING (430MM) • Compatible with ATUC-50 Digital Discussion System • Unique 3-pin balanced microphone with remote controlled LED ring • Patent-pending design isolates the microphone connector and discussion unit • Double-layer pop filter • RFI shielding technology offers outstanding rejection of RF interference • 430mm Double-gooseneck design for incredible positioning flexibility	4961310135485	305.00
ATUC-M58H	3-PIN MICROPHONE WITH LED RING (580MM) • Compatible with ATUC-50 Digital Discussion System • Unique 3-pin balanced microphone with remote controlled LED ring • Patent-pending design isolates the microphone connector and discussion unit • Double-layer pop filter • RFI shielding technology offers outstanding rejection of RF interference • 580mm Double-gooseneck design for incredible positioning flexibility	4961310135492	345.00
ATLK-EXT165	Link Expander • The ATLK-EXT165 link extender allows users to extend the cable runs in a system. The extender is equipped with two RJ45 ports through which it supplies DC +48V power to connected devices. It can be set to power on/off automatically in tandem with a connected control unit or to operate locally, powering on/off with the press of its Mode switch.		1,939.00
AT8166	Windscreen • Fits ATUC0N438 & -M58H	042005191543	20.00
ATUC-F11	Foam insert fits SKB 3R2817-10 case or equivalent. Cutouts in foam designed to securely hold and protect 12 ATUC-50DU discussion units and 12 ATUC-M43H or ATUC-M58H microphones. Case not included. (Unfortunately, there is no equivalent Gator Case.)	042005193585	629.00
ATUC-F12	Foam insert fits SKB 3R2817-10 case or equivalent. Cutouts in foam designed to securely hold and protect one ATUC-50CU control unit, four ATUC-50DU discussion units and four ATUC-M43H or ATUC-M58H microphones. Case not included. (Unfortunately, there is no equivalent Gator Case.)	042005193592	629.00

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.

PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.

Prix n'inclut pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

web: www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Social: Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Indicates price change. / Indique un changement de prix

Page 1.



copyright © Jam Industries Ltd.


5 YEAR WARRANTY

UPC

Sugg.
Retail
ATCS-60 INFRARED CONFERENCE SYSTEM
ATCS-60 Components

The ATCS-60 allows for large-scale conferences with up to 150 delegates in one native and three foreign languages. Featuring secure communication, flexible system configuration, intuitive operation, and selectable channels for multi-language groups, Audio-Technica's innovative ATCS-60 is a natural choice for everything from large-scale conferences to intimate gatherings

ATCS-C60	Master Control Unit • The 19" rackmountable ATCS-C60 can be configured to control functions including the number of delegate units with priority settings, select automatic or traditional "button press" modes, adjust threshold for automatic mode and output up to five separate audio channels via software.	042005159918	7,560.00
ATCS-A60	IR Transmitter/Receiver (aka "Puck") • Wall- or ceiling-mounted transmitter/receiver connects to the master control unit via BNC coaxial cable. Use of separate ATCS-D60 distributor units allows up to sixteen ATCS-A60 transmitter/receivers to be used simultaneously to cover larger venues.	042005159888	1,620.00
ATCS-A60MX	IR transmitter/receiver mixer for Infrared Antenna System. Operates in conjunction with the ATCS-A60TX transmitting unit and ATCS-A60RX receiving unit. Designed to increase the operating range of the ATCS-60 Infrared Conference System and allow for greater portability, the new antenna system more than doubles the range of the current ATCS-60 system. The ATCS-A60MX transmitter/receiver mixer can drive up to four ATCS-A60TX transmitting units and four ATCS-A60RX receiving units; up to four transmitter/receiver mixers can be connected to the ATCS-C60 central unit, to allow for a maximum of sixteen transmitting units and receiving units to be employed in an installation.	4961310115555	4,475.00
ATCS-A60TX	IR transmitting unit for Infrared Antenna System Operates in conjunction with ATCS-A60MX transmitter/receiver mixer and ATCS-A60RX receiving unit. Transmitting and receiving may be located directly next to one another, enabling easy mounting options. Equipped with a " thread for mounting.	4961310115548	1,999.00
ATCS-A60RX	IR receiving unit for Infrared Antenna System Operates in conjunction with ATCS-A60MX transmitter/receiver mixer and ATCS-A60TX transmitting unit. Transmitting and receiving units may be located directly next to one another, enabling easy mounting options. Equipped with a " thread for mounting.	4961310115531	1,999.00
ATIR-T85	Lavalier Microphone Designed for use with the ATCS-60 infrared conference system. Up to three presenter microphones can be used simultaneously. Lightweight, compact. Tie clip allows easy attachment and direction-angle adjustment; transmitter clips to belt. High-quality condenser element. Operates using 2 AA alkaline batteries; three output settings (ECO, LO, and HI). Continuous operation in ECO mode is approximately 10 hours.	042005173099	849.00
ATIR-T88	Handheld Microphone Designed for use with the ATCS-60 infrared conference system. Up to three presenter microphones can be used simultaneously. IR transmitting sections located in the upper and lower sections of the ATIR-T88 grip. High-quality condenser element. Operates using 2 AA alkaline batteries; three output settings (ECO, LO, and HI). Continuous operation in ECO mode is approximately 10 hours.	042005169627	849.00
ATCS-M60	Delegate Unit • Offers unique DSP voice detection, built-in loudspeaker, headphone output, XLR-type connection for use with ATCS-60MIC or ATCS-L60MIC, and four monitor channels to allow for multiple language translations.	4961310103583	2,099.00
ATCS-60MIC	Dedicated Microphone • Double-gooseneck hypercardioid condenser microphone with XLR-type connection to the ATCS-M60 delegate unit. 43 cm (16.92") overall length.	042005159871	249.00
ATCS-L60MIC	Dedicated Microphone—Long • Double-gooseneck hypercardioid condenser microphone with XLR-type connection to the ATCS-M60 delegate unit. 58 cm (22.83") overall length.	042005159949	275.00
ATCS-C60MAG-REG	Software • Allows complete control over all basic functions of the system including number of speakers, speaker order, individual volume, thresholds and audio routing for interpretation integration. Audio recording and minute taking are possible with this enhanced software – as is video recording, with programmability to allow cameras to follow the delegate unit currently in use. This innovative feature makes the ATCS-60 ideal for videoconferencing and conference relay with the minimum of set-up obstacles.	042005159925	2,620.00
DMQ-60	Monaural Earphone • Designed for clear intelligible audio, a comfortable fit for either ear.	042005159994	75.00
ATCS-B60	Battery Charger • Intelligent quick-charger has 10 individual advanced monitor sockets, taking only five-and-a-half hours for a full charge.	042005159895	1,999.00
LI-240	Lithium-Ion Battery • Exclusively manufactured high specification batteries especially designed for the ATCS-M60.	4961310105235	275.00

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.

PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.

Prix n'inclut pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

web: www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Social: Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Indicates price change. / Indique un changement de prix

Page 2.



copyright © Jam Industries Ltd.



5 YEAR WARRANTY		UPC	Sugg. Retail
ATCS-D60	Distributor • Use these 1-in 2-out distributors to increase the number of BNC inputs into the master control unit from 4 inputs to as many as 16 antenna transceiver connections; ideal for covering a large transmission area.	042005159932	365.00
ATCS-V60	Voting Module	4961310109400	570.00

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.

PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.

Prix n'inclut pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

web: www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office – Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

 **Indicates price change. / Indique un changement de prix**

Page 3.



copyright © Jam Industries Ltd.