

Suggested Retail Price List

UPC	Sugg. Retail
-----	--------------

## Titan Series

### Titan Series - Durable Passive Cabinets

- Lightweight Passive PA Series
- Custom Heavy duty moisture-proof 8", 12" or 15" LF drivers
- Proprietary 90° x 60° Elliptical Wave Guide Horn design
- High-end Titanium HF Compression Driver
- Sophisticated Linkwitz-Riley 24dB/octave crossover design
- Tough, yet lightweight Polypropylene molded cabinet with rubber padded handles
- Multiple M6, M8 & M10 rigging points and integral tripod stand adapter
- Rugged protective grille and top-stacking receptacles
- Trapezoid shape for arrays as well as stage monitor applications
- Both 1/4" and NL4 connectors provided, available in Black and White



<b>Titan8-Grey</b>	Two way passive speaker system • Frequency response +/- 3db: 70Hz-20kHz • Sensitivity (db 1w@1m): 96dB SPL • System impedance: 8 ohms • Maximum SPL Peak dB: 124dB SPL Peak • POWER HANDLING (Watts): Continuous RMS: 150W; Program: 300W; Peak: 600W • IN / OUT PANEL (speaker Level): Input connector: NL4 Speakon™ type x2 " 1/4" phone jack x 2 (All wired in parallel) • Finish: Titanium Grey • Construction material: Injection Molded Polypropylene • Handle quantity: 1 built-in carry handle • Suspension points: 8 M6 threaded inserts including 4 M6 threaded inserts on bottom in OmniMount 30.0-type footprint • Stand adapter - BOTTOM: Pole-mount receptacle with lock screw, Optional wall-mount bracket • Height ( mm / ins ): 396mm / 15.59 " • Width Front / Rear / mm / ins: 266mm / 10.47 " • Depth ( mm / ins ): 221mm / 8.7 " • Net weight ( kg / lbs ): 5.5kg / 12.1 lbs • Gross weight ( kg / lbs ): 7.5kg / 16.5 lbs • Optional Brackets: WPB-2, 3, T8.	703339901962	219.00
<b>Titan8-Black</b>	as above in black	703340098408	219.00
<b>Titan8-White</b>	as above in white	703340014767	219.00
<b>Titan12-Grey</b>	12" 2-way passive • Frequency response +/- 3db: 55-20kHz • Sensitivity (db 1w@1m): 98dB • System impedance: 8 ohms • Maximum SPL Peak dB: 120dB • POWER HANDLING (Watts): Continuous RMS: 250; Program: 500; Peak: 1000 • Input connector: 2 x 1/4" jacks and 2 x Speakon™ • Enclosure type: Molded Polypropylene • Finish: Titanium Grey • Handle quantity: 2 carry handles (one on each side) • Suspension points: (10) M8 points for safe flown applications, (4) M8 inserts on bottom in OmniMount® 60.0-type footprint • Stand adapter - BOTTOM: Speaker pole-mount receptacle with lock screw, Optional wall-mount bracket • Stand adapter - TOP: Optional dual-unit array speaker stand hardware • Height ( mm / ins ): 556mm/21.88" • Width Front / Rear / mm / ins: 384mm/15.1" / 180mm/7.1" • Depth ( mm / ins ): 312mm/12.3" • Net weight ( kg / lbs ): 12kg/26.4lbs • Gross weight ( kg / lbs ): 14kg/30.8lbs • Optional Brackets: WPB-1, 2. Limited supplies remaining.	703339650082	359.00
<b>Titan12-Black</b>	as above in Black - Limited supplies remaining.	703340013920	359.00

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

		UPC	Sugg. Retail
<b>&lt;&gt; Titan12-white</b>	as above in White - Limited supplies remaining.		359.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/Titan12-white_L.jpg">https://www.eriksonaudioonline.com/img_catalog/Titan12-white_L.jpg</a>	
<b>Titan15-Grey</b>	15" 2-way passive • Frequency response +/- 3db: 50-20kHz • System impedance: 8 ohms • Maximum SPL Peak dB: 129dB • POWER HANDLING (Watts): Continuous RMS: 400; Program: 800; Peak: 1600 • Input connector: 2 x 1/4" jacks and 2 x Speakon™ • Enclosure type: Molded Polypropylene • Finish: Titanium Grey • Handle quantity: 2 carry handles (one on each side) • Suspension points: (10) M8 points for safe flown applications, Stand adapter - BOTTOM: Speaker pole-mount receptacle with lock screw, Optional wall-mount bracket • Stand adapter - TOP: Optional dual-unit array speaker stand hardware		549.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/Titan15-Grey_L.jpg">https://www.eriksonaudioonline.com/img_catalog/Titan15-Grey_L.jpg</a>	

**Titan X Series - Lightweight Weather Resistant Passive Cabinets**

- HF Drivers have been honed acoustically for high-frequency detail and power
- LF Drivers reject moisture for resistance in all environments
- Proprietary 100° x 80° Hybrid Symmetry Horn design
- Tough, yet lightweight Dynamic Polypropylene cabinet with rubber padded handles
- 10 x M8 rigging points and integral tripod stand adapter
- Rugged protective grille and top-stacking receptacles
- Trapezoid design for arrays as well as stage monitor applications
- Available in black or white
- Titan Tourbags available



<b>Titan-X12-BLK</b>	Moulded Passive speaker 2-way 12 inch	703341142445	399.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/TITAN12X-BLACK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN12X-BLACK_L.jpg</a>	
<b>&lt;&gt; Titan-X12-WHT</b>	Moulded Passive speaker 2-way 12 inch	703341142568	399.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/TITAN12X-WHITE_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN12X-WHITE_L.jpg</a>	
<b>Titan-X15-BLK</b>	Moulded Passive speaker 2-way 15 inch	703341142681	569.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/TITAN15X-BLACK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN15X-BLACK_L.jpg</a>	
<b>&lt;&gt; Titan-X15-WHT</b>	Moulded Passive speaker 2-way 15 inch	703341142803	569.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/TITAN15X-WHITE_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN15X-WHITE_L.jpg</a>	

Suggested Retail Price List

	UPC	Sugg. Retail
--	-----	--------------


## Titan Z Series - High Power Passive Cabinets

- Extended-range, super sensitive Titanium dome HF drivers
- New 2" voice coil HF compression driver (15Z)
- Titan 12Z - 132dB Max SPL - 2000w peak
- Titan 15Z - 133.5dB Max SPL - 2800w peak
- Massive voice coils for improved heat dissipation and power handling
- Breath-taking SPL specifications
- Adding more power & more choice to the passive Titan lineup.
- Familiar cosmetic design compatible with all Titan mounting hardware.




<b>Titan-12Z</b>	Two-way 12" • Frequency Response (+/- 3dB) 55Hz-20kHz • Frequency Range 50Hz-20kHz • Sensitivity 99dB • Impedance 8Ω • Maximum SPL @1m 132dB • Nominal Coverage (H x V)	703341263287	599.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/TITAN12Z-BLACK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN12Z-BLACK_L.jpg</a>	
<b>Titan-15Z</b>	Two-way 15" • Frequency Response (+/- 3dB) 40Hz-20kHz • Sensitivity 99dB • Impedance 8Ω • Maximum SPL @1m 133.5dB • Nominal Coverage (H x V) Hybrid Symmetry Horn 100° x 80° • Power Continuous 700w • Programme 1400w • Peak 2800w	703341263164	749.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/TITAN15Z-BLACK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN15Z-BLACK_L.jpg</a>	

## Titan Series - Active PA Cabinets

<b>Titan8ActivemkII-Grey</b>	Powered full range speaker as above • 2-way bi-amp • Dual class D • Switch mode power supply • Horn LED defeat switch • 150W LF / 30W HF power output • Switchable mic/line input with XLR/TRS combo connector • 2 band EQ • Balanced line level XLR output. • Optional Brackets: WPB-2, 3, T8. Titanium Grey.	703340497683	499.00
			
		<a href="https://www.eriksonaudioonline.com/img_catalog/TITAN8-ACTIVE-MKII-GREY_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN8-ACTIVE-MKII-GREY_L.jpg</a>	

## Titan Series - Active Subwoofers

<b>TitanSub-A12-Grey</b>	12" active bass-reflex subwoofer • Custom Wharfedale Pro 12" transducer • Preset integral peak limiter prevents signal distortion and amplifier clipping • Integral polarity reverse switch • Adjustable crossover frequency (80Hz - 200Hz in 6 steps) • Stereo balanced / unbalanced inputs on combi XLR / Jack • Stereo balanced HPF outputs on XLR • Integral carry handles and pole mount adapter • Finish: Titanium Grey	703340055326	899.00
			
		<a href="https://www.eriksonaudioonline.com/img_catalog/TITAN-SUB-A12-grey_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN-SUB-A12-grey_L.jpg</a>	

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
 PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

<> Special order - significant lead times may apply.

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
 Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

	UPC	Sugg. Retail
<b>&lt;&gt; TitanSub-A12Black</b> As above in Black	703340299089	899.00
<a href="https://www.eriksonaudioonline.com/img_catalog/TITAN-SUB-A12-BLACK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN-SUB-A12-BLACK_L.jpg</a>		
<b>TitanSub-A15MKII-Grey</b> Powerful 15" band-pass active subwoofer • Built-in 400 watt (continuous) 600 watt (peak) amplifier • Accepts stereo or mono line level inputs via dual, balanced, XLR- " "combo" connectors as well as a unique single channel 4 ohms speaker level input via a " " phone jack which allows for use with a standard sound reinforcement amplifier (when the internal amplifier is not used) • Custom designed, down-firing, aluminium cast frame 15" woofer, with 3" voice coil • Integral signal processing includes a dynamic AGC (Automatic Gain Control) circuit, a stereo crossover and signal limiting for the prevention of a distorted signal to the internal amplifier • PHASE switch • A pair of balanced XLR male output connections, with switchable "High-Pass" mode for stereo line level outputs • Pole mount socket • Integral Carry Handle • Rubber Feet • Two ports on front are reflex tuned to provide enhanced low frequency response • Height: 630.0mm / 24.8" • Width: 478.0mm / 18.8" • Depth: 640.0mm / 25.2" • Weight (Net) kg / lbs: 45.48 / 100.0 • Weight (Gross) kg / lbs: 50.48 / 110.5 • Finish: Titanium Grey	703340875689	859.00
		
<a href="https://www.eriksonaudioonline.com/img_catalog/TITAN-SUB-A15-MKII-GREY_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN-SUB-A15-MKII-GREY_L.jpg</a>		
<b>&lt;&gt; TitanSub-A15MKII-Black</b> As above in Black	703340874842	859.00
<a href="https://www.eriksonaudioonline.com/img_catalog/TITAN-SUB-A15-MKII-black_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN-SUB-A15-MKII-black_L.jpg</a>		

**Titan D Series - Third Generation DSP Driven Active Cabinets (LIMITED AVAILABILITY)**

- Lightweight Active PA Series
- DSP processing
- Balanced XLR / Jack inputs with mic or line levels
- Custom Heavy duty moisture-proof 8", 12" or 15" LF driver
- Proprietary Waveguide Horn designs
- High-end Titanium HF Compression Drivers
- Tough, yet lightweight Polypropylene molded cabinet with rubber padded handles
- Multiple M6, M8 & M10 rigging points and integral tripod stand adapter
- Rugged protective grille and top-stacking receptacles
- Trapezoid shape for arrays as well as stage monitor applications
- Internal mixing functions
- Titan Tourbags available



<b>Titan12D</b> Powered full range speaker as above with 250W + 50W Bi amp'd 8ohm • Black only • Now with:	703340652600	569.00
<ul style="list-style-type: none"> <li>• Class D amplifier technology</li> <li>• Qubit™ 24-bit 192kHz DSP</li> <li>• Switched foldback monitor filter</li> <li>• Horn LED defeat switch</li> <li>• Remote gain control</li> <li>• Dual Class D power modules</li> <li>• Optional Brackets: WPB-1, 2.</li> </ul>	<a href="https://www.eriksonaudioonline.com/img_catalog/TITAN12D-ACTIVE-BLACK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN12D-ACTIVE-BLACK_L.jpg</a>	

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy. PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio. Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

		UPC	Sugg. Retail
<b>Titan15D</b>	Powered full range speaker as above with 350W + 70W Bi amp'd 8ohm • Black only • Now with: • Class D amplifier technology • Qubit™ 24-bit 192kHz DSP • Switched foldback monitor filter • Horn LED defeat switch • Remote gain control • Dual Class D power modules • Optional Brackets: WPB-1, 2.	703340658961 <a href="https://www.eriksonaudioonline.com/img_catalog/TITAN15D-ACTIVE-BLACK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN15D-ACTIVE-BLACK_L.jpg</a>	<b>739.00</b>

**Titan AX Series - High Power DSP Driven Active Cabinets**

<b>Titan-AX12-Black</b>	Moulded ACTIVE speaker 2-way 12 inch	703341189600 <a href="https://www.eriksonaudioonline.com/img_catalog/TITAN12AX-BLACK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN12AX-BLACK_L.jpg</a>	<b>599.00</b>
<b>&lt;&gt; Titan-AX12-White</b>	Moulded ACTIVE speaker 2-way 12 inch	703341194284 <a href="https://www.eriksonaudioonline.com/img_catalog/TITAN12AX-WHITE_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN12AX-WHITE_L.jpg</a>	<b>599.00</b>
<b>Titan-AX15-Black</b>	Moulded Active speaker 2-way 15 inch	703341189600 <a href="https://www.eriksonaudioonline.com/img_catalog/TITAN15AX-BLACK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN15AX-BLACK_L.jpg</a>	<b>749.00</b>
<b>&lt;&gt; Titan-AX15-White</b>	Moulded Active speaker 2-way 15 inch	703341194406 <a href="https://www.eriksonaudioonline.com/img_catalog/TITAN15AX-WHITE_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN15AX-WHITE_L.jpg</a>	<b>749.00</b>

**Titan Series - Accessories / Bags**

<b>Titan8NylonTouringBag</b>	BAG for molded Titan 8 inch	703340008407 <a href="https://www.eriksonaudioonline.com/img_catalog/TITAN8-TOUR-BAG_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN8-TOUR-BAG_L.jpg</a>	<b>49.00</b>
<b>Titan12NylonTouringBag</b>	BAG for molded Titan 12 inch	703339680805 <a href="https://www.eriksonaudioonline.com/img_catalog/TITAN12-TOUR-BAG_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN12-TOUR-BAG_L.jpg</a>	<b>59.00</b>
<b>Titan15NylonTouringBag</b>	BAG for molded Titan 15 inch	703339774405 <a href="https://www.eriksonaudioonline.com/img_catalog/TITAN15-TOUR-BAG_L.jpg">https://www.eriksonaudioonline.com/img_catalog/TITAN15-TOUR-BAG_L.jpg</a>	<b>119.00</b>

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
Prix n'inclut pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

UPC	Sugg. Retail
-----	--------------

## Live Sound, Club and Concert Cabinets

### Delta Series Heavy Duty Passive Cabinets - Painted Finish

#### Delta10

2-Way 10" High Power, Low Distortion Cast Frame Woofer • 1.75" Exit 1" Titanium Diaphragm Compression Driver • 90°x60° Elliptical Waveguide • Switchable Fullrange/Bi-amp Mode • Dual Angle Pole Mount Receptacle • Rhino Rock™ Textured Composite Finish • Plywood Construction • Rubberised 4-way Handles • POWER HANDLING (continuous/peak/programme): 300W/1200W/600W • FREQUENCY RESPONSE (+/-3DB): 65-20kHz • SENSITIVITY: 97dB • NOMINAL IMPEDANCE: 8Ω • MAX SPL: 128dB • NET WEIGHT: 16.58Kg/ 36.5lbs • GROSS WEIGHT: 19.6Kg/ 43.0lbs • DIMENSIONS (h/w/d): 500mm X 338/212.4mm X 330mm

703340794201

450.00



[https://www.eriksonaudioonline.com/img\\_catalog/Delta10\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/Delta10_L.jpg)

#### Delta12

2-Way 12" High Power, Low Distortion Cast Frame Woofer • 1.4" Exit 2" Titanium Diaphragm Compression Driver • 90°x45° Elliptical Waveguide • Switchable Fullrange/Bi-amp Mode • Dual Angle Pole Mount Receptacle • Rhino Rock™ Textured Composite Finish • Plywood Construction • Rubberised 4-way Handles • POWER HANDLING (continuous/peak/programme): 400W/1600W/800W • FREQUENCY RESPONSE (+/-3DB): 60-20kHz • SENSITIVITY: 97dB • NOMINAL IMPEDANCE: 8Ω • MAX SPL: 129dB • NET WEIGHT: 24.7Kg/ 54.5lbs • GROSS WEIGHT: 29.0Kg/ 63.8lbs • DIMENSIONS (h/w/d): 630mm / 24.8" X 390/241.2mm X 15.3/9.5" x 373mm / 14.7"

703340600403

539.00



[https://www.eriksonaudioonline.com/img\\_catalog/Delta12\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/Delta12_L.jpg)

#### Delta15

2-Way 15" High Power, Low Distortion Cast Frame Woofer • 1.4" Exit 2" Titanium Diaphragm Compression Driver • 90°x45° Elliptical Waveguide • Switchable Fullrange/Bi-amp Mode • Dual Angle Pole Mount Receptacle • Rhino Rock™ Textured Composite Finish • Plywood Construction • Rubberised 4-way Handles • POWER HANDLING (continuous/peak/programme): 500W/2000W/1000W • FREQUENCY RESPONSE (+/-3DB): 50-20kHz • SENSITIVITY: 98dB • NOMINAL IMPEDANCE: 8Ω • MAX SPL: 131dB • NET WEIGHT: 29.9Kg/ 65.9lbs • GROSS WEIGHT: 35.5Kg/ 78.1lbs • DIMENSIONS (h/w/d): 700mm / 27.6" X 446/281.4mm / 17.6/11.1" X 406mm / 16"

703340600649

629.00



[https://www.eriksonaudioonline.com/img\\_catalog/Delta15\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/Delta15_L.jpg)

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986


Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com



www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

		UPC	Sugg. Retail
<b>Delta215</b>	Quasi 3-Way 2x15" High Power, Low Distortion Cast Frame Woofer • 1.4" Exit 2" Titanium Diaphragm Compression Driver • 90°x45° Elliptical Waveguide • Switchable Fullrange/Bi-amp Mode • Dual Angle Pole Mount Receptacle • Rhino Rock™ Textured Composite Finish • Plywood Construction • Rubberised 4-way Handles • POWER HANDLING (continuous/peak/programme): 1000W/4000W/2000W • FREQUENCY RESPONSE (+/- 3DB): 45-20KHz • SENSITIVITY: 101dB • NOMINAL IMPEDANCE: 4Ω • MAX SPL: 137dB • NET WEIGHT: 52.9Kg/ 116.6lbs • GROSS WEIGHT: 59.0Kg/ 130.0lbs • DIMENSIONS (h/w/d): 1135mm / 44.7" X 488/299.6mm / 19.2/11.8" X 450mm / 17.7"	703340600885	949.00
			
			<a href="https://www.eriksonaudioonline.com/img_catalog/Delta215_L.jpg">https://www.eriksonaudioonline.com/img_catalog/Delta215_L.jpg</a>

**Delta Series Heavy Duty Subwoofers - Painted Finish**

<b>Delta15B</b>	Subwoofer • 15" High Power, Low Distortion Cast Frame Woofer • Switchable Fullrange/Bi-amp Mode • Steel Pole Mount Receptacle • Rhino Rock™ Textured Composite Finish • Plywood Construction • Rubberised 4-way Handles • POWER HANDLING (continuous /peak/ programme): 700W/2800W/1400W • FREQUENCY RESPONSE (BI-AMP / PASSIVE) (+/- 3DB):42-2KHz / 42-150Hz • SENSITIVITY: 98dB • NOMINAL IMPEDANCE: 8Ω • MAX SPL: 132dB • NET WEIGHT: 31.5Kg/ 69.4lbs • GROSS WEIGHT: 35.12Kg/ 77.4lbs • DIMENSIONS (h/w/d): 471mm / 18.5" X 471mm / 18.5" X 600mm / 23.6"	703340601004	599.00
			
			<a href="https://www.eriksonaudioonline.com/img_catalog/Delta15B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/Delta15B_L.jpg</a>
<b>Delta18B</b>	Subwoofer • 18" High Power, Low Distortion Cast Frame Woofer • Switchable Fullrange/Bi-amp Mode • Steel Pole Mount Receptacle • Rhino Rock™ Textured Composite Finish • Plywood Construction • Rubberised 4-way Handles • POWER HANDLING (continuous/ peak/ programme): 800W/3200W/1600W • FREQUENCY RESPONSE (BI-AMP / PASSIVE) (+/- 3DB):38-1.5KHz / 38-150Hz • SENSITIVITY: 99dB • NOMINAL IMPEDANCE: 8Ω • MAX SPL: 134dB • NET WEIGHT: 37.3Kg/ 82.06lbs • GROSS WEIGHT: 43.2Kg/ 95.04lbs • DIMENSIONS (h/w/d): 539mm / 21.2" X 539mm / 21.2" X 650mm / 25.6"	703340601127	749.00
			
			<a href="https://www.eriksonaudioonline.com/img_catalog/Delta18B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/Delta18B_L.jpg</a>

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

<> Special order - significant lead times may apply.

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986


Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com


www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com


Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

		UPC	Sugg. Retail
<b>Delta218B</b>	Dual Chamber Subwoofer • 2x18" High Power, Low Distortion Cast Frame Woofer • Switchable Fullrange/Bi-amp Mode • Steel Pole Mount Receptacle • Rhino Rock™ Textured Composite Finish • Plywood Construction • Rubberised 4-way Handles • POWER HANDLING (continuous/peak/programme): 800W/3200/1600 • FREQUENCY RESPONSE (BI-AMP) (+/- 3DB): 38-1.5KHz / 30-1.5KHz • SENSITIVITY: 100dB • NOMINAL IMPEDANCE: 8Ω • MAX SPL: 138dB • NET WEIGHT: 78.9Kg/ 173.9lbs • GROSS WEIGHT: 86.0Kg/ 189.6lbs • DIMENSIONS (h/w/d): 541mm / 21.3" X 1041mm / 41" X 650mm / 25.6"	703340601240	1029.00
		 <p><a href="https://www.eriksonaudioonline.com/img_catalog/Delta218B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/Delta218B_L.jpg</a></p>	

**Delta Series Passive Monitors - Painted Finish**

<b>Delta12M</b>	Angled stage monitor • 2-Way 12" High Power, Low Distortion Cast Frame Woofer • 1.4" Exit 2" Titanium Diaphragm Compression Driver • 90°x45° Elliptical Waveguide • Switchable Fullrange/Bi-amp Mode • Dual Angle Pole Mount Receptacle • Rhino Rock™ Textured Composite Finish • Plywood Construction • Rubberised 4-way Handles • POWER HANDLING (continuous/peak/programme): 400W/1600W/800W • FREQUENCY RESPONSE (+/- 3DB): 60-20KHz • SENSITIVITY: 97dB • NOMINAL IMPEDANCE: 8Ω • MAX SPL: 129dB • NET WEIGHT: 24.7Kg/ 54.5lbs • GROSS WEIGHT: 29.0Kg/ 63.8lbs • DIMENSIONS (h/w/d): 630mm / 24.8" x 390/241.2mm x 15.3/9.5" x 373mm / 14.7"	703340600526	529.00
		 <p><a href="https://www.eriksonaudioonline.com/img_catalog/Delta12M_L.jpg">https://www.eriksonaudioonline.com/img_catalog/Delta12M_L.jpg</a></p>	

<b>Delta15M</b>	Angled stage monitor • 2-Way 15" High Power, Low Distortion Cast Frame Woofer • 1.4" Exit 2" Titanium Diaphragm Compression Driver • 90°x45° Elliptical Waveguide • Switchable Fullrange/Bi-amp Mode • Dual Angle Pole Mount Receptacle • Rhino Rock™ Textured Composite Finish • Plywood Construction • Rubberised 4-way Handles • POWER HANDLING (continuous/peak/programme): 500W/2000W/1000W • FREQUENCY RESPONSE (+/- 3DB): 50-20KHz • SENSITIVITY: 98dB • NOMINAL IMPEDANCE: 8Ω • MAX SPL: 131dB • NET WEIGHT: 27.24Kg/ 59.9lbs • GROSS WEIGHT: 33.96Kg/ 74.7lbs • DIMENSIONS (h/w/d): 493mm / 19.4" X 446mm / 17.6" / 17.6/11.1" X 685mm / 27"	703340600762	629.00
		 <p><a href="https://www.eriksonaudioonline.com/img_catalog/Delta15M_L.jpg">https://www.eriksonaudioonline.com/img_catalog/Delta15M_L.jpg</a></p>	

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com



Suggested Retail Price List

	UPC	Sugg. Retail
--	-----	--------------

**EVP-X MKII - High Power Passive Cabinets - Carpet Finish**

**EVP-X12MKII**

2 way, 8 ohm, 55-20kHz(+/-3dB) • Power Rating: 300W Continuous, 600W Music, 1200W Peak • Product Dimension (H x W x D): (MM): 590 x 430/297.5 x 370; (inches): 23.20" x 16.90"/11.70" x 14.60" • Weight: 18.92kg/41.60lbs

703340881321

369.00



[https://www.eriksonaudioonline.com/img\\_catalog/EVP-X12-MK2\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/EVP-X12-MK2_L.jpg)

**EVP-X15MKII**

2 way, 8 ohm, 45-20kHz(+/-3dB) • Power Rating: 350W Continuous, 700W Music, 1400W Peak • Product Dimension (H x W x D): (MM):675 x 460/294.5 x 450; (inches): 26.60" x 18.10"/11.50" x 17.70" • Weight: 23.92kg/52.60lbs

703340881567

389.00



[https://www.eriksonaudioonline.com/img\\_catalog/EVP-X15-MK2\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/EVP-X15-MK2_L.jpg)

**EVP-X215MKII**

Quasi 3 way, 4 ohm, 40-20kHz(+/-3dB) • Power Rating: 700W Continuous, 1400W Music, 2800W Peak • Product Dimension (H x W x D): (MM):1058 x 502/330 x 467; (inches): 41.60" x 19.80"/13.00" x 18.40" • Weight: 41.28kg/90.80lbs

703340881802

639.00



[https://www.eriksonaudioonline.com/img\\_catalog/EVP-X215-MK2\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/EVP-X215-MK2_L.jpg)

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
 PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
 Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

UPC	Sugg. Retail
-----	--------------

**EVP-X MKII - High Power Passive Subwoofers - Carpet Finish**

**EVP-X15BMKII**

15" subwoofer, 4 ohm, 40-250Hz (+/-3dB) • Power Rating: 400W Continuous, 800W Music, 1600W Peak • 703340881925  
Product Dimension (H x W x D): (MM): 591 x 460 x 510; (inches): 23.20" x 18.10" x 20.00" • Weight: 28.06kg/61.70lbs

459.00



[https://www.eriksonaudioonline.com/img\\_catalog/EVP-X15B-MK2\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/EVP-X15B-MK2_L.jpg)

**EVP-X18BMKII**

18" subwoofer, 4 ohm, 35-250Hz (+/-3dB) • Power Rating: 600W Continuous, 1200W Music, 2400W Peak • 703340882045  
Product Dimension (H x W x D): (MM): 650 x 522 x 610; (inches): 15.50" x 20.60" x 24.00" • Weight: 39.30kg/86.50lbs

579.00



[https://www.eriksonaudioonline.com/img\\_catalog/EVP-X18B-MK2\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/EVP-X18B-MK2_L.jpg)

**EVP-X218BMKII**

2 x 18" Sub • Frequency Response 33 – 300 Hz • Power (RMS / Programme / Peak) 1200W / 2400W / 4800W • Nominal Impedance 4ohms • Sensitivity dB SPL @ 1W / 1M: 107 • Max dB SPL: 137 • Pole Mount 2 x 35mm Pole Socket • Input Connector 2 x Speakon and 2 x 1/4" • High pass filter connector output 1 x Speakon and 1 x 1/4" Jack • Net Weight 69kg / 152.12lbs • Product Dimensions: (mm) 650 x 610 x 1020 • 703340994243

1059.00



[https://www.eriksonaudioonline.com/img\\_catalog/EVP-X218B-MK2\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/EVP-X218B-MK2_L.jpg)

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

	UPC	Sugg. Retail
--	-----	--------------

**EVP-X MKII - High Power Passive Monitors - Carpet Finish**

<b>EVP-X12MMKII</b>	2 way monitor, 8 ohm • 60-20kHz(+/-3dB) • Power Rating: 300W Continuous, 600W Music, 1200W Peak • Product Dimension (H x W x D): (MM): 560 x 424 x 441; (inches): 22.00" x 16.70" x 17.40" • Weight: 17.96kg/39.50lbs	703340881444	369.00
---------------------	---	--------------	--------



[https://www.eriksonaudioonline.com/img\\_catalog/EVP-X12M-MK2\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/EVP-X12M-MK2_L.jpg)

<b>EVP-X15MMKII</b>	2 way monitor • 8 ohm, 50-20kHz(+/-3dB) • Power Rating: 350W Continuous, 700W Music, 1400W Peak • Product Dimension (H x W x D): (MM): 645 x 445 x 473.5, (inches): 25.40" x 17.50" x 18.60" • Weight: 20.90kg/45.98lbs	703340881925	399.00
---------------------	---	--------------	--------



[https://www.eriksonaudioonline.com/img\\_catalog/EVP-X15M-MK2\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/EVP-X15M-MK2_L.jpg)

**EVP-X Powered Stage Monitors - Carpet Finish**

- 90 x 60 Elliptical Wave Guide Horn with 1.75" (44mm) titanium diaphragm driver
- High power handling, high efficiency
- ProTech™ Driver
- 5 Band Graphic EQ
- XLR / Jack Combi Input
- XLR Output
- Powered output for additional passive monitor
- Durable black carpet covering



<b>EVP-X12PM</b>	Bi-amplified 2-way 12" monitor w/ 5-band EQ 500w (peak)	703339603163	759.00
<b>EVP-X15PM</b>	Bi-amplified 2-way 15" monitor w/ 5-band EQ 500w (peak)	703339633764	859.00

[https://www.eriksonaudioonline.com/img\\_catalog/EVPX-12PM\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/EVPX-12PM_L.jpg)

[https://www.eriksonaudioonline.com/img\\_catalog/EVPX-15PM\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/EVPX-15PM_L.jpg)

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Suggested Retail Price List

UPC  
Sugg.  
Retail

## EVO-X Series - high Power Passive Cabinets - 'Rhinorock' Painted Finish

The new EVO-X Series strikes the perfect balance between affordability and performance. Positioned in-between the Impact Series and the Delta Series of passive loudspeakers, EVO-X is a new multipurpose lineup of 8 models featuring many useful and practical design elements.

All models benefit from a hardwearing Rhino Rock paint finish and are visually enhanced with the iconic Wharfedale Pro 'boomerang' logo being engraved onto their surface. All models also feature practical 4-way handles to make transportation simple and pain-free.

Full range models feature a unique +3dB HF boost switch allowing for quick, on-stage tweaks to be made to the sound as the crowd grows while the 3 subwoofer options all have high pass filter outputs, reducing onstage cabling and peripherals.

Robust crossover designs, elliptical waveguides and large voice coils ensure that the sound quality is as beautiful as the cosmetic design.



<b>EVO-X12</b>	12" 2-way passive cabinet	703341344764	489.00	<a href="https://www.eriksonaudioonline.com/img_catalog/EVO-X12_L.jpg">https://www.eriksonaudioonline.com/img_catalog/EVO-X12_L.jpg</a>
<b>EVO-X15</b>	15" 2-way passive cabinet	703341345006	569.00	<a href="https://www.eriksonaudioonline.com/img_catalog/EVO-X15_L.jpg">https://www.eriksonaudioonline.com/img_catalog/EVO-X15_L.jpg</a>
<b>EVO-X215</b>	2 x 15" 2-way passive cabinet	703341345242	825.00	<a href="https://www.eriksonaudioonline.com/img_catalog/EVO-X215_L.jpg">https://www.eriksonaudioonline.com/img_catalog/EVO-X215_L.jpg</a>

## EVO-X Series - high Power Passive Subwoofers - 'Rhinorock' Painted Finish

<b>EVO-X15B</b>	15" Passive Subwoofer	703341345365	599.00	<a href="https://www.eriksonaudioonline.com/img_catalog/EVO-X15B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/EVO-X15B_L.jpg</a>
<b>EVO-X18B</b>	18" Passive Subwoofer	703341345488	799.00	<a href="https://www.eriksonaudioonline.com/img_catalog/EVO-X18B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/EVO-X18B_L.jpg</a>
<b>EVO-X218B</b>	2 x 18" Passive Subwoofer	703341345600	1169.00	<a href="https://www.eriksonaudioonline.com/img_catalog/EVO-X218B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/EVO-X218B_L.jpg</a>

## EVO-X Series - high Power Passive Monitors - 'Rhinorock' Painted Finish

<b>EVO-X12M</b>	12" 2-way passive Monitor	703341344887	489.00	<a href="https://www.eriksonaudioonline.com/img_catalog/EVO-X12M_L.jpg">https://www.eriksonaudioonline.com/img_catalog/EVO-X12M_L.jpg</a>
<b>EVO-X15M</b>	15" 2-way passive Monitor	703341345129	569.00	<a href="https://www.eriksonaudioonline.com/img_catalog/EVO-X15M_L.jpg">https://www.eriksonaudioonline.com/img_catalog/EVO-X15M_L.jpg</a>

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.

PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.

Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

	UPC	Sugg. Retail
--	-----	--------------

**DVP-X Series - Road Ready Passive Cabinets - MDF Construction**

- Individually tuned front ported systems for clear, punchy bass
- Proprietary enhanced Rhino Rock paint for a chip resistant finish
- Extended-range IRIS X Titanium dome HF drivers
- High powered LF drivers using a double-roll surround
- Fine-tuned crossovers, built in house for audio signal purity and optimised tuning
- HF limiters are installed for thermal protection against extreme power input
- 8 models in the passive line up



<b>DVP-X12</b>	2-Way 12" 600W Passive Cabinet (Painted MDF)	703341190088	475.00	<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-X12_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-X12_L.jpg</a>
<b>DVP-X15</b>	2-Way 15" 700W Passive Cabinet (Painted MDF)	703341190323	539.00	<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-X15_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-X15_L.jpg</a>
<b>DVP-X215</b>	2-Way 2x 15" 1400W Passive Cabinet (Painted MDF)	703341190569	799.00	<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-X215_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-X215_L.jpg</a>

**DVP-X Series - Road Ready Passive Subwoofers - MDF Construction**

<b>DVP-X15B</b>	1 x 15" 800W Passive Sub (Painted MDF)	703341190682	539.00	<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-X15B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-X15B_L.jpg</a>
<b>DVP-X18B</b>	1 x 18" 1000W Passive Sub (Painted MDF)	703341190804	649.00	<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-X18B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-X18B_L.jpg</a>
<b>DVP-X218B</b>	2 x 18" 2000W Passive Sub (Painted MDF)	703341190927	1029.00	<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-X218B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-X218B_L.jpg</a>

**DVP-X Series - Road Ready Passive Monitors - MDF Construction**

<b>DVP-X12M</b>	2-Way 12" 600W Passive Monitor (Painted MDF)	703341190200	469.00	<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-X12M_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-X12M_L.jpg</a>
<b>DVP-X15M</b>	2-Way 15" 700W Passive Monitor (Painted MDF)	703341190446	539.00	<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-X15M_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-X15M_L.jpg</a>

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

	UPC	Sugg. Retail
--	-----	--------------

## DVP-AX Series Active Road Ready Cabinets - MDF Construction

DVP-AX is a comprehensive new lineup of versatile and road-ready active loudspeakers. Class D amplification housed in ultra hard wearing cabinets make DVP-AX a perfect choice for hardworking DJ's and musicians on the road.

The full-range models feature advanced DSP processing with 6 presets tailored to overcome many real-life sonic challenges and a practical 2 channel mic/line mixer makes life on stage easier. The floor monitor models feature a 7-band EQ to help deliver maximum volume without feedback and a handy slave output for connecting to passive floor monitors.

While the electronics of DVP-AX set them apart from the competition, its important not to overlook the custom Wharfedale Pro drivers in this lineup. Using dual layer LF transducers and the acclaimed IRIS compression drivers, the mechanical features of DVP-AX have not been compromised.

DVP-AX delivers advanced electronics in a user-friendly format - but in a roadready cabinet.



<b>DVP-AX12</b>	2-Way 12" 800W Active Cabinet (Painted MDF)	703341224646	975.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-AX12_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-AX12_L.jpg</a>	
<b>DVP-AX15</b>	2-Way 15" 1400W Active Cabinet (Painted MDF)	703341226329	1199.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-AX15_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-AX15_L.jpg</a>	
<b>DVP-AX215</b>	2-Way 2x 15" 2000W Active Cabinet (Painted MDF)	703341228002	1499.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-AX215_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-AX215_L.jpg</a>	

## DVP-AX Series Active Road Ready Subwoofers - MDF Construction

<b>DVP-AX15B</b>	1 x 15" 2400W Active Sub (Painted MDF)	703341228842	1099.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-AX15B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-AX15B_L.jpg</a>	
<b>DVP-AX18B</b>	1 x 18" 2400W Active Sub (Painted MDF)	703341229689	1249.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-AX18B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-AX18B_L.jpg</a>	

## DVP-AX Series Active Road Ready Monitors - MDF Construction

<b>DVP-AX12M</b>	2-Way 12" 1000W Active Monitor (Painted MDF)	703341225483	1149.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-AX12M_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-AX12M_L.jpg</a>	
<b>DVP-AX15M</b>	2-Way 15" 1000W Active Monitor (Painted MDF)	703341227166	1249.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/DVP-AX15M_L.jpg">https://www.eriksonaudioonline.com/img_catalog/DVP-AX15M_L.jpg</a>	

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

UPC	Sugg. Retail
-----	--------------

**Focus Series Flexible Point-Source Passive Array Cabinets**

**Focus12**

12" 2 way • Frequency Response (+/- 3dB): 60-20KHZ • Continuous / Programme/Peak: 500W/1000W/2000W • Nominal Impedance (ohms): 8 • Sensitivity: 99.5dB • Max SPL: 133dB • Nominal Coverage(H x V): 100°x10° • XOver: 1.6kHz • BiAmp Mode Switch • Rigging Points: M10X11&4 FlyTrack • Rigging Point Max Rated Weight: 500kg • Pole Mount: Dual-angle 35 mm pole socket • 2xSpeakon • Net Weight (kg / Lbs): 263/57.9 • Dimensions (H x W x D)mm: 625x455/270x435

703340882168

1469.00



[https://www.eriksonaudioonline.com/img\\_catalog/Focus-12\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/Focus-12_L.jpg)

**Focus15**

System Type: 15" 2 way • Frequency Response (+/- 3dB): 50-20KHZ • Continuous/Programme/Peak: 700W/1400W/2800W • Nominal Impedance (ohms): 8 ohms • Sensitivity dB SPL@1W/1M: 99.5dB • Max SPL dB SPL @ Peak Rated Power: 135dB • Nominal Coverage @1kHz (H x V): 100°x10° • Crossover Frequency: 1.6kHz • BiAmp Mode Switch: YES • Rigging Points: M10X11&4FlyTrack • Rigging Point Max Rated Weight: 500kg • Pole Mount: DualAngle (0° or -10°) 35 mm pole socket • Input Connector Type: 2xSpeakon • Net Weight (kg / Lbs): 341/75 • Product Dimensions (H x W x D)mm: 690x445/224.5x433

703340882281

1699.00



[https://www.eriksonaudioonline.com/img\\_catalog/Focus-15\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/Focus-15_L.jpg)

**Focus Series Subwoofers**

**Focus18Sub**

System Type: 18" Subwoofer • Frequency Response (+/- 3dB): 35-800HZ • Continuous/Programme/Peak: 1 tX)/2000W/4000W • Nominal Impedance (ohms): 8 ohms • Sensitivity dB SPL@1W/1M: 104dB • Max SPL dB SPL @ Peak Rated Power: 140dB • BiAmp Mode Switch: NO • Pole Mount: M20 screw-on pole mount • Input Connector Type: 2xSpeakon • Net Weight (kg / Lbs): 52.4/115.3 • Product Dimensions (H x W x D)mm: 540x490x900

703340882403

1269.00



[https://www.eriksonaudioonline.com/img\\_catalog/Focus-18S\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/Focus-18S_L.jpg)

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy. PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio. Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com



**WARRANTY**  
 Passive Speakers: 5 Years  
 Electronics & Powered Speakers: 3 Years



Effective March 28, 2018 / En vigueur le 28 mars, 2018  
 Replaces March 1, 2017 / Remplace le 1 mars, 2017

Suggested Retail Price List

	UPC	Sugg. Retail
--	-----	--------------

**Focus218Sub**

System Type: Dual 18" Subwoofer • Frequency Response (+/- 3dB): 30-800HZ • Continuous/Programme/Peak: Parallel:2000W/4000W/8000W Discrete: 1000W/2000W/4000W • Nominal Impedance (ohms): Parallel 4 ohms Discrete: 2x8 ohms • Sensitivity dB SPL@1W/1M: 107dB • Max SPL dB SPL @ Peak Rated Power: 146dB • BiAmp Mode Switch: YES • Pole Mount: M20 screw-on pole mount • Input Connector Type: 2xSpeakon • Net Weight (kg / Lbs): 86,5/190.3 • Product Dimensions (H x W x D)mm: 540x880x900

703340882526

2099.00



[https://www.eriksonaudioonline.com/img\\_catalog/focus-218s\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/focus-218s_L.jpg)

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
 PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
 Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com



Suggested Retail Price List

UPC	Sugg. Retail
-----	--------------

## Fixed Installation Loudspeakers

### Sigma Series

- Discreet and unobtrusive design
- Newly developed angled corner port system to reduce dimensions
- Multiple M8 rigging points and a two way speaker pole mount for easy installation
- Crossovers tailored for vocal intelligibility
- Chip resistant Rhino Rock paint
- Double roll surround LF driver for stability and power
- High performance HF driver with aluminium rear cover for maximum heat dissipation
- 2.5" voice coils on 12", 15" and 18B models
- 7 SIGMA series models available in black or white in the range for maximum flexibility.



<b>Sigma8-BLK</b>	Black 8 Passive 2-way 200W RMS	703341065409	239.00	<a href="https://www.eriksonaudioonline.com/img_catalog/SIGMA8-BLK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SIGMA8-BLK_L.jpg</a>
<b>Sigma8-WHT</b>	White 8 Passive 2-way 200W RMS	703341120962	239.00	<a href="https://www.eriksonaudioonline.com/img_catalog/SIGMA8-WHT_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SIGMA8-WHT_L.jpg</a>
<b>Sigma10-BLK</b>	Black 10 Passive 2-way 300W RMS	703341065522	359.00	<a href="https://www.eriksonaudioonline.com/img_catalog/SIGMA10-BLK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SIGMA10-BLK_L.jpg</a>
<b>Sigma10-WHT</b>	White 10 Passive 2-way 300W RMS	703341121082	359.00	<a href="https://www.eriksonaudioonline.com/img_catalog/SIGMA10-WHT_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SIGMA10-WHT_L.jpg</a>
<b>Sigma12-BLK</b>	Black 12 Passive 2-way 350W RMS	703341095888	435.00	<a href="https://www.eriksonaudioonline.com/img_catalog/SIGMA12-BLK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SIGMA12-BLK_L.jpg</a>
<b>Sigma12-WHT</b>	White 12 Passive 2-way 350W RMS	703341121204	435.00	<a href="https://www.eriksonaudioonline.com/img_catalog/SIGMA12-WHT_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SIGMA12-WHT_L.jpg</a>
<b>Sigma15-BLK</b>	Black 15 Passive 2-way 400W RMS	703341065768	539.00	<a href="https://www.eriksonaudioonline.com/img_catalog/SIGMA15-BLK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SIGMA15-BLK_L.jpg</a>
<b>Sigma15-WHT</b>	White 15 Passive 2-way 400W RMS	703341121327	539.00	<a href="https://www.eriksonaudioonline.com/img_catalog/SIGMA15-WHT_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SIGMA15-WHT_L.jpg</a>
<b>Sigma18B-BLK</b>	Black 18" Sub Passive 750W	703341065881	699.00	<a href="https://www.eriksonaudioonline.com/img_catalog/SIGMA18B-BLK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SIGMA18B-BLK_L.jpg</a>

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

		UPC	Sugg. Retail
<b>Sigma18B-WHT</b>	White 18" Sub Passive 750W	703341121440 <a href="https://www.eriksonaudioonline.com/img_catalog/SIGMA18B-WHT_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SIGMA18B-WHT_L.jpg</a>	699.00
<b>Sigma-V4-Black</b>	4x3" line array 300W program	703341167042 <a href="https://www.eriksonaudioonline.com/img_catalog/SIGMA-V4-BLK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SIGMA-V4-BLK_L.jpg</a>	279.00
<b>Sigma-V4-White</b>	4x3" line array 300W program	703341167165 no image available	279.00
<b>Sigma-V8-Black</b>	8x3" line array 600W program	703341167288 <a href="https://www.eriksonaudioonline.com/img_catalog/SIGMA-V8-BLK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SIGMA-V8-BLK_L.jpg</a>	489.00
<b>Sigma-V8-White</b>	8x3" line array 600W program	703341167400 no image available	489.00

**SI-X Series**

- 2-way reflex systems
- Folded horn and Direct Radiating subwoofers
- 25.4mm Titanium high frequency compression drivers
- Low distortion, high power woofers
- 70° x 70° High Frequency Horn
- Multifaceted 40° x 50° durable MDF enclosure
- 20 x M8 hanging points to facilitate safe rigging
- NL4 & Barrier Strip speaker inputs for flexibility
- U-shaped steel mounting bracket included
- Install in houses of worship, shops and other public areas



<b>SI-10XBlack</b>	10" 2-way • 60-20kHz frequency response(+/-3dB) • 8 ohm system impedance • Continuous 200W / Music 400W / Peak 800W • (HxWxD)512x310x294mm • 13.6 kg	703340157808 <a href="https://www.eriksonaudioonline.com/img_catalog/SI-10X-black_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SI-10X-black_L.jpg</a>	499.00
<b>SI-10XWhite</b>	as above in white	703340017522 <a href="https://www.eriksonaudioonline.com/img_catalog/SI-10X-white_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SI-10X-white_L.jpg</a>	499.00
<b>SI-12XBlack</b>	12" 2-way • 60-20kHz frequency response(+/-3dB) • 8 ohm system impedance • Continuous 250W / Music 500W / Peak 1000W • (HxWxD)562x333x344mm • 16.7 kg	703340157921 <a href="https://www.eriksonaudioonline.com/img_catalog/SI-12X-black_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SI-12X-black_L.jpg</a>	549.00
<b>SI-12XWhite</b>	as above in White	703340017645 <a href="https://www.eriksonaudioonline.com/img_catalog/SI-12X-white_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SI-12X-white_L.jpg</a>	549.00
<b>SI-15XBlack</b>	15" 2-way • 50-20kHz frequency response(+/-3dB) • 8 ohm system impedance • Continuous 400W / Music 800W / Peak 1600W • (HxWxD)640x396x422mm • 24.6 kg	703340158041 <a href="https://www.eriksonaudioonline.com/img_catalog/SI-15X-black_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SI-15X-black_L.jpg</a>	679.00
<b>SI-15XWhite</b>	as above in White	703340017768 <a href="https://www.eriksonaudioonline.com/img_catalog/SI-15X-white_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SI-15X-white_L.jpg</a>	679.00

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

	UPC	Sugg. Retail
--	-----	--------------

**Programme Series**

- 2-way installation speaker systems
- Mylar, silk and titanium HF drivers used across range
- Low distortion, high power woofers
- High strength
- M6 or M8 high hanging points
- Speakon, parallel spring crimp and barrier strip inputs
- Supplied with adjustable heavy duty steel bracket
- Models available with 70v/100v Transformer ('T' model)
- For venues including houses of worship, retail shops and other public areas
- White finishes also available



<b>Programme35ET</b>	2-Way, 6.5"high power woofer • 65-20kHz frequency response • 8 ohm • Continuous 60W / Music 120W / Peak 240W • 1" (25.4mm) Mylar Dome drive unit • Low distortion, high power woofer • High strength MDF cabinet • Pro-tech® (PTC) driver protection • Four (4) M6 hanging points • Parallel spring crimp input connectors • Universal Bracket Included	703340101283	379.00 <a href="https://www.eriksonaudioonline.com/img_catalog/PROGRAMME35ET-BLK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/PROGRAMME35ET-BLK_L.jpg</a>
<b>Programme105TBlack</b>	2-Way, 5"high power woofer • 75-20kHz frequency response (+/-3dB) • 8 ohm • Continuous 80W / Music 160W / Peak 320W • 1" (25.4mm) Titanium Dome HF • Low distortion, high power woofers • High strength Trapezoidal cabinet • Pro-tech (PTC) driver protection • M8 High Strength Hanging Points • Barrier strip • Supplied with an Adjustable Heavy Duty Steel Wall Bracket.	703340101405	275.00 <a href="https://www.eriksonaudioonline.com/img_catalog/PROGRAMME105T-BLK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/PROGRAMME105T-BLK_L.jpg</a>
<b>Programme105TWhite</b>	5" two way 80W Installation speaker • as above in White	703340101641	275.00 <a href="https://www.eriksonaudioonline.com/img_catalog/PROGRAMME105T-WHT_L.jpg">https://www.eriksonaudioonline.com/img_catalog/PROGRAMME105T-WHT_L.jpg</a>
<b>Programme108TBlack</b>	2-Way, 8"high power woofer • 60-20kHz frequency response (+/-3dB) • 8 ohm • Continuous 150W / Music 300W / Peak 600W • 1" (25.4mm) Titanium Compression Driver • Low distortion, high power woofers • High strength Trapezoidal cabinet • Pro-tech(Bulb) driver protection • M8 High Strength Hanging Points • Barrier strip • Supplied with an Adjustable Heavy Duty Steel Wall Bracket.	703340103447	439.00 <a href="https://www.eriksonaudioonline.com/img_catalog/PROGRAMME108T-BLK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/PROGRAMME108T-BLK_L.jpg</a>
<b>Programme108TWhite</b>	8" Installation 150W Installation speaker • as above in White	703340103560	439.00 <a href="https://www.eriksonaudioonline.com/img_catalog/PROGRAMME108T-WHT_L.jpg">https://www.eriksonaudioonline.com/img_catalog/PROGRAMME108T-WHT_L.jpg</a>
<b>Programme205TBlack</b>	2-Way, 5"x2 high power woofer • 70-20kHz frequency response (+/-3dB) • 8 ohm • Continuous 100W / Music 200W / Peak 400W • 1" (25.4mm) Titanium Dome HF • Low distortion, high power woofers • High strength Trapezoidal cabinet • Pro-tech (Bulb) driver protection • M8 High Strength Hanging Points • Barrier strip • Supplied with an Adjustable Heavy Duty Steel Wall Bracket.	703340102006	339.00 <a href="https://www.eriksonaudioonline.com/img_catalog/PROGRAMME205T-BLK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/PROGRAMME205T-BLK_L.jpg</a>
<b>Programme205TWhite</b>	2 x 5" two way 100W Installation speaker • as above in White	703340102600	339.00 <a href="https://www.eriksonaudioonline.com/img_catalog/PROGRAMME205T-WHT_L.jpg">https://www.eriksonaudioonline.com/img_catalog/PROGRAMME205T-WHT_L.jpg</a>
<b>Programme206TBlack</b>	2-Way, 6.5"x2 high power woofer • 65-20kHz frequency response (+/-3dB) • 8 ohm • Continuous 150W / Music 300W / Peak 600W • 1" (25.4mm) Titanium Compression Driver • Low distortion, high power woofers • High strength Trapezoidal cabinet • Pro-tech(Bulb) driver protection • M8 High Strength Hanging Points • Barrier strip • Supplied with an Adjustable Heavy Duty Steel Wall Bracket.	703340102488	469.00 <a href="https://www.eriksonaudioonline.com/img_catalog/PROGRAMME206T-BLK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/PROGRAMME206T-BLK_L.jpg</a>

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

<> Special order - significant lead times may apply.

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com



**WARRANTY**  
 Passive Speakers: 5 Years  
 Electronics & Powered Speakers: 3 Years



**Effective March 28, 2018 / En vigueur le 28 mars, 2018**  
**Replaces March 1, 2017 / Remplace le 1 mars, 2017**

Suggested Retail Price List

		UPC	Sugg. Retail
<b>Programme206TWhite</b>	2 x 6.5" two way 150W Installation speaker • as above in White	703340102600	469.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/Programme206T-wht_L.jpg">https://www.eriksonaudioonline.com/img_catalog/Programme206T-wht_L.jpg</a>	
<b>Programme406TBlack</b>	2-Way, 6.5x4" high power woofer • 60-20kHz frequency response (+/-3dB) • 1" (25.4mm) Titanium Compression Driver • 8 ohm • Continuous 250W / Music 500W / Peak 1000W • Low distortion, high power woofers • High strength Trapezoidal cabinet • Pro-tech (Bulb) driver protection • M8 High Strength Hanging Points • Barrier strip • Supplied with an Adjustable Heavy Duty Steel Wall Bracket.	703340102969	799.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/Programme406T-BLK_L.jpg">https://www.eriksonaudioonline.com/img_catalog/Programme406T-BLK_L.jpg</a>	
<b>Programme406TWhite</b>	4 x 6.5" two way 250W Installation speaker • as above in White	703340103089	799.00
		<a href="https://www.eriksonaudioonline.com/img_catalog/Programme406T-WHT_L.jpg">https://www.eriksonaudioonline.com/img_catalog/Programme406T-WHT_L.jpg</a>	

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
 PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
 Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Page 20.



Suggested Retail Price List

UPC	Sugg. Retail
-----	--------------

## Mixers

### Connect Series Mixers

#### Connect502USB

Switchable Global +48V Phantom Power • Clip LED's on Mic/Line Channels • 1 x Balanced XLR Mic Input • Pan/Balance Controls On All Channels • 2 x Stereo Channels with Balanced/Unbalanced 1/4" TRS Jacks • Separate Main Mix and Phones Outputs with Level Controls • Stereo 4 Segment LED Meters • Stereo 1/8" and 1/4" Headphone Outputs • 2x2 USB computer interface.

703340694846

139.00



[https://www.eriksonaudioonline.com/img\\_catalog/CONNECT-502-USB\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/CONNECT-502-USB_L.jpg)

#### Connect802USB

Switchable Global +48V Phantom Power • Clip LED's on Mic/Line Channels • 2 x Balanced XLR Mic Input • Pan/Balance Controls On All Channels • 2 x Stereo Channels with Balanced/Unbalanced 1/4" TRS Jacks • Separate Main Mix and Phones Outputs with Level Controls • Stereo 4 Segment LED Meters • Stereo 1/8" and 1/4" Headphone Outputs • 2x2 USB computer interface.

703340695560

159.00



[https://www.eriksonaudioonline.com/img\\_catalog/CONNECT-802-USB\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/CONNECT-802-USB_L.jpg)

#### Connect1002FXUSB

Compact professional 10-channel mixer • 2 Mono Mic/Line Channels and 4 Stereo Channels • Input Gain Controls On All Mono Channels • Ultra musical 3 band EQ with high pass filters On All Mono Channels • Built-in digital FX with dedicated send, 56 effects • Pan or balance controls, Stereo 4 Segment LED Meters • Control room and headphone outputs, 2TK to Mains/ Headphones Level Control • Master outputs with TRS connectors, Clip LED on Mic/Line Channels • Bi-directional USB connection 2x2 interface

703340946129

249.00



[https://www.eriksonaudioonline.com/img\\_catalog/CONNECT1002FX-USB\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/CONNECT1002FX-USB_L.jpg)

#### Connect1202FXUSB

Compact professional 12-channel mixer • 4 Mono Mic/Line Channels and 4 Stereo Channels • Input Gain Controls On All Mono Channels • Ultra musical 3 band EQ with high pass filters On All Mono Channels • Built-in digital FX with dedicated send, 56 effects • Pan or balance controls, Stereo 4 Segment LED Meters • Control room and headphone outputs, 2TK to Mains/ Headphones Level Control • Master outputs with TRS connectors, Clip LED on Mic/Line Channels • Bi-directional USB connection 2x2 interface

703340946969

285.00



[https://www.eriksonaudioonline.com/img\\_catalog/CONNECT1202FX-USB\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/CONNECT1202FX-USB_L.jpg)

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Suggested Retail Price List

UPC	Sugg. Retail
-----	--------------

**SL Series Mixers**

**SL424USB**

Compact studio/live mixing console • Suitable for a wide range of mid format mixing duties in both live sound and home studio applications • Full Duplex 2 In/2 Out 16-Bit 48kHz USB Interface • 4 Studio Grade Phantom Powered Mic Pre-Amps • Ultra Musical 3-Band EQ with High Pass Filters • 1 Auxiliary Send • Dedicated Stereo Return with Level Control • Pan and Balance Controls • Control Room and Headphone Outputs • Master Outputs with XLR and TRS Connectors.

703340778485

475.00



[https://www.eriksonaudioonline.com/img\\_catalog/SL424USB\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/SL424USB_L.jpg)

**SL824USB**

The SL 824 mixer is a studio/live mixing console with built-in full duplex USB interfacing. Engineered to cater to a wide range of mid format mixing duties, the SL 824 includes many features suited to both live sound and home studio applications • Full Duplex 2 In/2 Out 16-Bit 48kHz USB Interface Dedicated USB Recording Bus • Switchable Line/USB Return Channel • 8 Studio Grade Phantom Powered Microphone Pre-Amps • Ultra Musical 3-Band EQ with High Pass Filters • Built-In Digital FX with Dedicated Send • 2 Auxiliary Sends • Dedicated Stereo Return with Level Control • Pan and Balance Controls • PFL for All Channels • Control Room and Headphone Outputs • Master Outputs with XLR and TRS Connectors

703340517244

865.00



[https://www.eriksonaudioonline.com/img\\_catalog/SL824USB\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/SL824USB_L.jpg)

**SL1224USB**

A studio/live mixing console with built-in full duplex USB interfacing. Engineered to cater to a wide range of mid format mixing duties • Includes many features suited to both live sound and home studio applications • Full Duplex 2 In/2 Out 16-Bit 48kHz USB Interface Dedicated USB Recording Bus • Switchable Line/USB Return Channel • 12 Studio Grade Phantom Powered Microphone Pre-Amps • Ultra Musical 3-Band EQ with High Pass Filters • Built-In Digital FX with Dedicated Send • 2 Auxiliary Sends • Dedicated Stereo Return with Level Control • Pan and Balance Controls • PFL for All Channels • Control Room and Headphone Outputs • Master Outputs with XLR and TRS Connectors.

703340608683

1080.00



[https://www.eriksonaudioonline.com/img\\_catalog/SL1224USB\\_L.jpg](https://www.eriksonaudioonline.com/img_catalog/SL1224USB_L.jpg)

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
 PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
 Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com



**WARRANTY**  
 Passive Speakers: 5 Years  
 Electronics & Powered Speakers: 3 Years



Effective March 28, 2018 / En vigueur le 28 mars, 2018  
 Replaces March 1, 2017 / Remplace le 1 mars, 2017

Suggested Retail Price List

	UPC	Sugg. Retail
--	-----	--------------

## Speaker Mounting Brackets & Poles

<b>SP-1</b>	Speaker pole mount for standard cup.	703339919004 <a href="https://www.eriksonaudioonline.com/img_catalog/SP1_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SP1_L.jpg</a>	89.00
<b>SP-2</b>	Speaker Pole with thread attachment	703340019809 <a href="https://www.eriksonaudioonline.com/img_catalog/SP2_L.jpg">https://www.eriksonaudioonline.com/img_catalog/SP2_L.jpg</a>	95.00
<b>WPB-1-Black</b>	The WPB-1 is suitable for both Wharfedale Pro and Third-Party loudspeakers that feature an Omnimount™ 60.0 footprint, including SI-X and Titan 12/15 passive/active. Black.	703339924046 <a href="https://www.eriksonaudioonline.com/img_catalog/WPB-1-B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/WPB-1-B_L.jpg</a>	99.00
<b>&lt;&gt; WPB-1-White</b>	as above in White.	703339924169 <a href="https://www.eriksonaudioonline.com/img_catalog/WPB-1-W_L.jpg">https://www.eriksonaudioonline.com/img_catalog/WPB-1-W_L.jpg</a>	99.00
<b>WPB-2-Black</b>	The WPB-2 is suitable for all Wharfedale Pro loudspeakers that feature a pole mount socket and weigh under 22Kg. Black.	703340483402 <a href="https://www.eriksonaudioonline.com/img_catalog/WPB-2-B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/WPB-2-B_L.jpg</a>	99.00
<b>&lt;&gt; WPB-2-White</b>	As above in White.	703340496846 <a href="https://www.eriksonaudioonline.com/img_catalog/WPB-2-W_L.jpg">https://www.eriksonaudioonline.com/img_catalog/WPB-2-W_L.jpg</a>	99.00
<b>WPB-T8-Black</b>	The WPB-T8 is suitable for Titan 8 and Titan 8A/8A MKII, providing a secure and versatile mounting. Black.	703340297405 <a href="https://www.eriksonaudioonline.com/img_catalog/WPB-T8-B_L.jpg">https://www.eriksonaudioonline.com/img_catalog/WPB-T8-B_L.jpg</a>	49.00
<b>&lt;&gt; WPB-T8-White</b>	As above in White.	703340297528 <a href="https://www.eriksonaudioonline.com/img_catalog/WPB-T8-W_L.jpg">https://www.eriksonaudioonline.com/img_catalog/WPB-T8-W_L.jpg</a>	49.00

Any product with MAP is subject to the terms & conditions of the Erikson Audio MAP policy.  
 PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS.

**<> Special order - significant lead times may apply.**

Les produits avec le prix "MAP" sont soumis aux termes et conditions de la politique PMA d'Erikson Audio.  
 Prix n'inclus pas les taxes et sont sujets à changement sans préavis. La possession de cette liste de prix ne confère pas automatiquement le statut de marchand.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

Tech. Support (not incl. repairs): 1-888-816-2333 • Tech. Support Email: bill.kinal@eriksonaudio.com

www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

Page 23.

