

Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail
Détail sugg.


COLORIST TOURING

COLORISTPANEL8QA LED Wash Panel
-150W LED Source: 8 x 15W RGBA Quad Color
 Installed Optics: 15 °
 Lumens: 1,242
 Base Illuminance: 1,005 Lux @ 5m
 Efficacy: 23.2 lm/W
 IP65 – for temporary outdoor use only
 Control Protocol: USITT DMX-512a
 Control Channels: 4, 6 or 10
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
 Item Code: 3620841



1,212.00

COLORISTPANEL36QA LED Wash Panel
-150W LED Source: 36 x 15W RGBA Quad Color
 Installed Optics: 15 °
 Lumens: 5,206
 Base Illuminance: 5,070 Lux @ 5m
 Efficacy: 22.2 lm/W
 IP65 – for temporary outdoor use only
 Control Protocol: USITT DMX-512a
 Control Channels: 4, 6 or 10
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
 Item Code: 3620840



3,612.00

COLORISTLINE6QA LED Linear Wash
-150W LED Source: 6 x 15W RGBA Quad Color
 Installed Optics: 15 °
 Lumens: 948
 Base Illuminance: 781 Lux @ 5m
 Efficacy: 18.8 lm/W
 IP65 – for temporary outdoor use only
 Control Protocol: USITT DMX-512a
 Control Channels: 4, 6, 10, 24 or 29
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
 Item Code: 3610837



1,212.00

COLORISTLINE12QA LED Linear Wash
-150W LED Source: 12 x 15W RGBA Quad Color
 Installed Optics: 15 °
 Lumens: 1,811
 Base Illuminance: 1,382 Lux @ 5m
 Efficacy: 17.6 lm/W
 IP65 – for temporary outdoor use only
 Control Protocol: USITT DMX-512a
 Control Channels: 4, 6, 10, 48 or 53
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
 Item Code: 3610836



1,896.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclut pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail
Détail sugg.

COLORISTPOD7QA LED Par Wash
LED Source: 7 x 15W RGBA Quad Color
Installed Optics: 15 °
Lumens: 1,176
Base Illuminance: 880 Lux @ 5m
Efficacy: 22.9 lm/W
IP65 – for temporary outdoor use only
Control Protocol: USITT DMX-512a
Control Channels: 4, 6 or 10
Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
Item Code: 3630839



1,106.00

COLORISTPOD18QA LED Par Wash
-150W LED Source: 18 x 15W RGBA Quad Color
Installed Optics: 15 °
Lumens: 2,854
Base Illuminance: 2,232 Lux @ 5m
Efficacy: 22.5 lm/W
IP65 – for temporary outdoor use only
Control Protocol: USITT DMX-512a
Control Channels: 4, 6 or 10
Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
Item Code: 3630838



1,859.00

COLORISTPOD1QA-15 LED Par Wash
LED Source: 1 x 10W RGBA Quad Color
Installed Optics: 15 °
Lumens: 229
Base Illuminance: 162 Lux @ 5m
Efficacy: 14.6 lm/W
IP65 – for temporary outdoor use only
Control Protocol: USITT DMX-512a
Control Channels: 1, 4, 5, 6, 7 or 10
Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
Item Code: 03631070



489.00

EXTERIOR SOLUTIONS

ILUMIPOD 18G2 IP RGB LED Par Wash
30-DEG LED Source: 18 x 2 to 3W RGB
Installed Optics: 30 °
Lumens: 1,227
Base Illuminance: 285 Lux @ 5m
Efficacy: 21.6 lm/W
IP67
Control Protocol: USITT DMX-512a
Control Channels: 1, 3, 4 or 7
Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
Item Code: 01630554






1,197.00

ILUMIPOD 18G2 IP RGB Special Order – RGB with custom 15-degree lenses Item Code: SP01630554
15-DEG

1,422.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclut pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Confidential Dealer Price List / Liste de prix confidentielle

		Sugg. Retail Détail sugg.
ILUMIPOD 18G2 IP WW 30-DEG	Special Order - Warm White - 30 degrees Item Code: 01630570	1,248.00
ILUMIPOD 18G2 IP WW 15-DEG	Special Order - WW with custom 15-degree lenses Item Code: SP01630570	1,462.00
ILUMIPOD 36G2 IP RGBW 30-DEG	LED Par Wash LED Source: 36x 3W RGBW Installed Optics: 30° Lumens: 3,097 Base Illuminance: 693 Lux @ 5m Efficacy: 28.6 lm/W IP67 Control Protocol: USITT DMX-512a Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 01630929	2,145.00
		
ILUMIPOD 36G2 IP RGBW 15-DEG	Special Order - RGB with custom 15-degree lenses Item Code: SP01630938	2,498.00
ILUMIPOD 54G2 IP RGBW 30-DEG	LED Par Wash LED Source: 54x 3W RGBW Installed Optics: 30° Lumens: 4,570 Base Illuminance: 1,038 Lux @ 5m Efficacy: 28.6 lm/W IP67 Control Protocol: USITT DMX-512a Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 01630930	3,055.00
		
ILUMIPOD 54G2 IP RGBW 15-DEG	Special Order - RGB with custom 15-degree lenses Item Code: SP01630939	3,590.00
ILUMIPANEL 24G2 IP RGB 30-DEG	LED Panel Wash LED Source: 24 x 3W RGB CREE LEDs Installed Optics: 30° Lumens: 1,400 Base Illuminance: 305 Lux @ 5m Efficacy: 20.6 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 01620928	1,370.00
		
ILUMIPANEL 24G2 IP RGB 15-DEG	Special Order - WW with custom 15-degree lenses Item Code: SP1620962	1,731.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclus pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail
Détail sugg.

ILUMIPANEL 40IP RGB 30-DEG	<i>LED Panel Wash</i> <i>LED Source: 40 x 3W RGB CREE LEDs</i> <i>Installed Optics: 30°</i> <i>Lumens: 2,680</i> <i>Base Illuminance: 631 Lux @ 5m</i> <i>Efficacy: 22.75 lm/W</i> <i>IP67</i> <i>Control Protocol: USITT DMX-512a</i> <i>Control Channels: 1, 3, 4 or 7</i> <i>Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz</i> <i>Item Code: 01620521</i>		1,881.00
ILUMIPANEL 40IP WW 30-DEG	<i>WW with 30-degree lenses</i> Item Code: 01620629		2,033.00
ILUMIPANEL 40IP RGB 15-DEG	<i>Special Order - RGB with custom 15-degree lenses</i> Item Code: SP01620521		2,333.00
ILUMIPANEL 40IP WW 15-DEG	<i>Special Order - WW with custom 15-degree lenses</i> Item Code: SP1620629		2,461.00
ILUMIPANEL 90IP	<i>LED Panel Wash</i> <i>LED Source: 90 x 5W RGB CREE LEDs</i> <i>Installed Optics: 30°</i> <i>Lumens: 5,806</i> <i>Base Illuminance: 1,418 Lux @ 5m</i> <i>Efficacy: 20.4 lm/W</i> <i>IP67</i> <i>Control Protocol: USITT DMX-512a</i> <i>Control Channels: 1, 3, 4, 6 or 7</i> <i>Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz</i> <i>Item Code: 01620631</i>		5,607.00
ILUMIPANEL 90 IP 6-15 RGB	<i>Special Order - RGB with custom 6-15-degree lenses</i> <i>Item Code: SP01620631</i>		6,397.00
ILUMIPANEL 180IP	<i>LED Panel Wash</i> <i>LED Source: 180 x 5W RGB</i> <i>Installed Optics: 15° & 30°</i> <i>Lumens: 10,832</i> <i>Base Illuminance: 4,698 Lux @ 5m</i> <i>Efficacy: 20.3 lm/W</i> <i>IP67</i> <i>Control Protocol: USITT DMX-512a</i> <i>Control Channels: 1, 3, 4, 6 or 7</i> <i>Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz</i> <i>Item Code: 01620634</i>		10,197.00
ILUMIPANEL 180 IP 6 -15-DEG	<i>Special Order - RGB with custom 6-15-degree lenses</i> <i>Item Code: SP01620634</i>		11,665.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclut pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

copyright © Jam Industries Ltd. 

Confidential Dealer Price List / Liste de prix confidentielle

		Sugg. Retail Détail sugg.
ILUMIPOD INGROUND TRI 12 IP RGB	LED In Ground Wash LED Source: 12 x 3W RGB TRI Color Installed Optics: 25° Lumens: 679 Base Illuminance: 225 Lux @ 5m Efficacy: 17.4 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4, 6 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 11012001	1,648.00
		
ILUMIPOD INGROUND TRI 12 IP WW	Special Order - Warm White Item Code: 01630581	1,405.00
ILUMIPOD INGROUND TRI 3 IP RGB	LED In Ground Wash LED Source: 3 x 3W RGB TRI Color Installed Optics: 25° Lumens: 215 Base Illuminance: 69 Lux @ 5m Efficacy: 17.6 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 11003001	519.00
		
ILUMIPOD INGROUND TRI 3 IP WW	Special Order - Warm White Item Code: 01630585	464.00
ILUMILINE INGROUND TRI 12 IP RGB	LED In Ground Wash LED Source: 12 x 3W RGB TRI Color Installed Optics: 25° Lumens: 879 Base Illuminance: 222 Lux @ 5m Efficacy: 19.6 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4, 6 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 12012007	1,121.00
		
ILUMILINE 21G2 IP RGB	LED Linear Wash LED Source: 21 x 1W Installed Optics: 60° x 10° Lumens: 580 Base Illuminance: 43 Lux @ 5m Efficacy: 19.6 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 0160557	948.00
		
ILUMILINE 21G2 IP WW	Special Order - Warm White Item Code: 01610625	991.00





PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclut pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Social: **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

Confidential Dealer Price List / Liste de prix confidentielle

		Sugg. Retail Détail sugg.
ILUMILINE 36IP RGB	<p>LED Linear Wash LED Source: 36 x 1W Installed Optics: 60° x 10° Lumens: 1,092 Base Illuminance: 114 Lux @ 5m Efficacy: 24.1 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 12036005</p>	1,287.00
		
ILUMILINE 36IP WW	<p>Special Order - Warm White Item Code: 01610627</p>	1,341.00
INTERIOR SOLUTIONS		
ILUMILINE LOGIC 12	<p>LED Linear Wash LED Source: 12 x 1W Installed Optics: 120° Lumens: 273 Base Illuminance: 3.95 Lux @ 5m IP20 Control Protocol: USITT DMX-512a Control Channels: via Logic Driver Input Voltage: via Logic Driver Item Code: 22012003</p>	289.00
		
ILUMILINE LOGIC 36	<p>LED Linear Wash LED Source: 36 x 1W Installed Optics: 120° Lumens: 615 Base Illuminance: 10 Lux @ 5m IP20 Control Protocol: USITT DMX-512a Control Channels: via Logic Driver Input Voltage: via Logic Driver Item Code: 22036001</p>	756.00
		
ILUMIPOD LOGIC 6	<p>LED MR16 Wash LED Source: 6 x 1W Installed Optics: 18° Lumens: 121 Base Illuminance: 20 Lux @ 5m Efficacy: 10.7 lm/W IP20 Control Protocol: USITT DMX-512a Control Channels: via Logic Driver Input Voltage: via Logic Driver Item Code: 21006001</p>	207.00
		

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclus pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail
Détail sugg.

ILUMIPOD LOGIC TRI-1 LED MR16 Wash
LED Source: 1 x 3W RGB TRI Color
Installed Optics: 25°
Lumens: 74
Base Illuminance: 20 Lux @ 5m
Efficacy: 10 lm/W
IP20
Control Protocol: USITT DMX-512a
Control Channels: via Logic Driver
Input Voltage: via Logic Driver
Item Code: 21001001



126.00

ILUMIPOD LOGIC TRI-4 LED Wash
LED Source: 4 x 3W RGB TRI Color
Installed Optics: 25°
Lumens: 351
Base Illuminance: 139 Lux @ 5m
Efficacy: 19 lm/W
IP20
Control Protocol: USITT DMX-512a
Control Channels: via Logic Driver
Input Voltage: via Logic Driver
Item Code: 21004001



259.00

CONTROL

ILUMICODE Remote addresser for Illumiline, Illumipanel and Illumipod exterior lighting fixtures
Set DMX address
Set calibration levels for color correction
Set fixture personalities
Set static looks
2 AA battery powered
Weight: 0.5 lb/0.2 kg
Item Code: 44444001



325.00

LOGIC 1X36 Logic Driver
Stand Alone Control: Yes
Remote Addresser: N/A
Data Connection: RJ45 to 3-pin DMX in, RJ45 out
Output per Line: 36 – 1 W or 12 – 3 W LEDs
Output Lines: 1
Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
Item Code: 31X36001



484.00

LOGIC 4X36 Logic Driver
Stand Alone Control: Yes
Remote Addresser: N/A
Data Connection: RJ45 to 3-pin DMX in, RJ45 out
Output per Line: 36 – 1 W or 12 – 3 W LEDs
Output Lines: 4
Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
Item Code: 34X36001



1,324.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclus pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Social: **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

copyright © Jam Industries Ltd.



Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail
Détail sugg.

LOGIC 16X36 *Logic Driver*
Stand Alone Control: Yes
Remote Addresser: N/A
Data Connection: RJ45 to 3-pin DMX in, RJ45 out
Output per Line: 36 – 1 W or 12 – 3 W LEDs
Output Lines: 16
Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
Item Code: 316X36001



3,216.00

INTERIOR SOLUTIONS

MR16 - TRIM RING *Brush Aluminium* *Item Code:* 66666001 **10.00**

MR16 - TRIM RING *White* *Item Code:* 66666002 **8.00**

AR111 *Item Code: 77777001* **32.00**

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclut pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

copyright © Jam Industries Ltd. 