

## Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail  
Détail sugg.


## COLORIST TOURING

**COLORISTPANEL8QA** LED Wash Panel  
**-150W** LED Source: 8 x 15W RGBA Quad Color  
 Installed Optics: 15 °  
 Lumens: 1,242  
 Base Illuminance: 1,005 Lux @ 5m  
 Efficacy: 23.2 lm/W  
 IP65 – for temporary outdoor use only  
 Control Protocol: USITT DMX-512a  
 Control Channels: 4, 6 or 10  
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz  
 Item Code: 3620841



1,212.00

**COLORISTPANEL36QA** LED Wash Panel  
**-150W** LED Source: 36 x 15W RGBA Quad Color  
 Installed Optics: 15 °  
 Lumens: 5,206  
 Base Illuminance: 5,070 Lux @ 5m  
 Efficacy: 22.2 lm/W  
 IP65 – for temporary outdoor use only  
 Control Protocol: USITT DMX-512a  
 Control Channels: 4, 6 or 10  
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz  
 Item Code: 3620840



3,612.00

**COLORISTLINE6QA** LED Linear Wash  
**-150W** LED Source: 6 x 15W RGBA Quad Color  
 Installed Optics: 15 °  
 Lumens: 948  
 Base Illuminance: 781 Lux @ 5m  
 Efficacy: 18.8 lm/W  
 IP65 – for temporary outdoor use only  
 Control Protocol: USITT DMX-512a  
 Control Channels: 4, 6, 10, 24 or 29  
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz  
 Item Code: 3610837



1,212.00

**COLORISTLINE12QA** LED Linear Wash  
**-150W** LED Source: 12 x 15W RGBA Quad Color  
 Installed Optics: 15 °  
 Lumens: 1,811  
 Base Illuminance: 1,382 Lux @ 5m  
 Efficacy: 17.6 lm/W  
 IP65 – for temporary outdoor use only  
 Control Protocol: USITT DMX-512a  
 Control Channels: 4, 6, 10, 48 or 53  
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz  
 Item Code: 3610836



1,896.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclut pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

## Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail  
Détail sugg.

**COLORISTPOD7QA** LED Par Wash  
 LED Source: 7 x 15W RGBA Quad Color  
 Installed Optics: 15 °  
 Lumens: 1,176  
 Base Illuminance: 880 Lux @ 5m  
 Efficacy: 22.9 lm/W  
 IP65 – for temporary outdoor use only  
 Control Protocol: USITT DMX-512a  
 Control Channels: 4, 6 or 10  
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz  
 Item Code: 3630839



1,106.00

**COLORISTPOD18QA** LED Par Wash  
**-150W** LED Source: 18 x 15W RGBA Quad Color  
 Installed Optics: 15 °  
 Lumens: 2,854  
 Base Illuminance: 2,232 Lux @ 5m  
 Efficacy: 22.5 lm/W  
 IP65 – for temporary outdoor use only  
 Control Protocol: USITT DMX-512a  
 Control Channels: 4, 6 or 10  
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz  
 Item Code: 3630838



1,859.00

**COLORISTPOD1QA-15** LED Par Wash  
 LED Source: 1 x 10W RGBA Quad Color  
 Installed Optics: 15 °  
 Lumens: 229  
 Base Illuminance: 162 Lux @ 5m  
 Efficacy: 14.6 lm/W  
 IP65 – for temporary outdoor use only  
 Control Protocol: USITT DMX-512a  
 Control Channels: 1, 4, 5, 6, 7 or 10  
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz  
 Item Code: 03631070



489.00

## EXTERIOR SOLUTIONS

**ILUMIPOD 18G2 IP RGB** LED Par Wash  
**30-DEG** LED Source: 18 x 2 to 3W RGB  
 Installed Optics: 30 °  
 Lumens: 1,227  
 Base Illuminance: 285 Lux @ 5m  
 Efficacy: 21.6 lm/W  
 IP67  
 Control Protocol: USITT DMX-512a  
 Control Channels: 1, 3, 4 or 7  
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz  
 Item Code: 01630554






1,197.00

**ILUMIPOD 18G2 IP RGB** Special Order – RGB with custom 15-degree lenses Item Code: SP01630554  
**15-DEG**

1,422.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclut pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

### Confidential Dealer Price List / Liste de prix confidentielle

		Sugg. Retail Détail sugg.
<b>ILUMIPOD 18G2 IP WW 30-DEG</b>	Special Order - Warm White - 30 degrees Item Code: 01630570	1,248.00
<b>ILUMIPOD 18G2 IP WW 15-DEG</b>	Special Order - WW with custom 15-degree lenses Item Code: SP01630570	1,462.00
<b>ILUMIPOD 36G2 IP RGBW 30-DEG</b>	LED Par Wash LED Source: 36x 3W RGBW Installed Optics: 30 ° Lumens: 3,097 Base Illuminance: 693 Lux @ 5m Efficacy: 28.6 lm/W IP67 Control Protocol: USITT DMX-512a Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 01630929	2,145.00
		
<b>ILUMIPOD 36G2 IP RGBW 15-DEG</b>	Special Order - RGB with custom 15-degree lenses Item Code: SP01630938	2,498.00
<b>ILUMIPOD 54G2 IP RGBW 30-DEG</b>	LED Par Wash LED Source: 54x 3W RGBW Installed Optics: 30 ° Lumens: 4,570 Base Illuminance: 1,038 Lux @ 5m Efficacy: 28.6 lm/W IP67 Control Protocol: USITT DMX-512a Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 01630930	3,055.00
		
<b>ILUMIPOD 54G2 IP RGBW 15-DEG</b>	Special Order - RGB with custom 15-degree lenses Item Code: SP01630939	3,590.00
<b>ILUMIPANEL 24G2 IP RGB 30-DEG</b>	LED Panel Wash LED Source: 24 x 3W RGB CREE LEDs Installed Optics: 30° Lumens: 1,400 Base Illuminance: 305 Lux @ 5m Efficacy: 20.6 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 01620928	1,370.00
		
<b>ILUMIPANEL 24G2 IP RGB 15-DEG</b>	Special Order - WW with custom 15-degree lenses Item Code: SP1620962	1,731.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclut pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

copyright © Jam Industries Ltd. 

### Confidential Dealer Price List / Liste de prix confidentielle

**Sugg. Retail**  
**Détail sugg.**

<p><b>ILUMIPANEL 40IP RGB</b> LED Panel Wash  <b>30-DEG</b> LED Source: 40 x 3W RGB CREE LEDs            Installed Optics: 30°            Lumens: 2,680            Base Illuminance: 631 Lux @ 5m            Efficacy: 22.75 lm/W            IP67            Control Protocol: USITT DMX-512a            Control Channels: 1, 3, 4 or 7            Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz            Item Code: 01620521</p>		1,881.00
<p><b>ILUMIPANEL 40IP WW</b> WW with 30-degree lenses Item Code: 01620629  <b>30-DEG</b></p>		2,033.00
<p><b>ILUMIPANEL 40IP RGB</b> Special Order - RGB with custom 15-degree lenses Item Code: SP01620521  <b>15-DEG</b></p>		2,333.00
<p><b>ILUMIPANEL 40IP WW</b> Special Order - WW with custom 15-degree lenses Item Code: SP1620629  <b>15-DEG</b></p>		2,461.00
<p><b>ILUMIPANEL 90IP</b> LED Panel Wash            LED Source: 90 x 5W RGB CREE LEDs            Installed Optics: 30°            Lumens: 5,806            Base Illuminance: 1,418 Lux @ 5m            Efficacy: 20.4 lm/W            IP67            Control Protocol: USITT DMX-512a            Control Channels: 1, 3, 4, 6 or 7            Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz            Item Code: 01620631</p>		5,607.00
<p><b>ILUMIPANEL 90 IP 6-15</b> Special Order - RGB with custom 6-15-degree lenses  <b>RGB</b> Item Code: SP01620631</p>		6,397.00
<p><b>ILUMIPANEL 180IP</b> LED Panel Wash            LED Source: 180 x 5W RGB            Installed Optics: 15° &amp; 30°            Lumens: 10,832            Base Illuminance: 4,698 Lux @ 5m            Efficacy: 20.3 lm/W            IP67            Control Protocol: USITT DMX-512a            Control Channels: 1, 3, 4, 6 or 7            Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz            Item Code: 01620634</p>		10,197.00
<p><b>ILUMIPANEL 180 IP 6</b> Special Order - RGB with custom 6-15-degree lenses  <b>-15-DEG</b> Item Code: SP01620634</p>		11,665.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclut pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

copyright © Jam Industries Ltd. 

### Confidential Dealer Price List / Liste de prix confidentielle

**Sugg. Retail**  
**Détail sugg.**

<b>ILUMIPOD INGROUND</b> <b>TRI 12 IP RGB</b>	<p>LED In Ground Wash            LED Source: 12 x 3W RGB TRI Color            Installed Optics: 25°            Lumens: 679            Base Illuminance: 225 Lux @ 5m            Efficacy: 17.4 lm/W            IP67            Control Protocol: USITT DMX-512a            Control Channels: 1, 3, 4, 6 or 7            Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz            Item Code: 11012001</p>		<p>1,648.00</p>
<b>ILUMIPOD INGROUND</b> <b>TRI 12 IP WW</b>	<p>Special Order - Warm White            Item Code: 01630581</p>		<p>1,405.00</p>
<b>ILUMIPOD INGROUND</b> <b>TRI 3 IP RGB</b>	<p>LED In Ground Wash            LED Source: 3 x 3W RGB TRI Color            Installed Optics: 25°            Lumens: 215            Base Illuminance: 69 Lux @ 5m            Efficacy: 17.6 lm/W            IP67            Control Protocol: USITT DMX-512a            Control Channels: 1, 3, 4 or 7            Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz            Item Code: 11003001</p>		<p>519.00</p>
<b>ILUMIPOD INGROUND</b> <b>TRI 3 IP WW</b>	<p>Special Order - Warm White            Item Code: 01630585</p>		<p>464.00</p>
<b>ILUMILINE INGROUND</b> <b>TRI 12 IP RGB</b>	<p>LED In Ground Wash            LED Source: 12 x 3W RGB TRI Color            Installed Optics: 25°            Lumens: 879            Base Illuminance: 222 Lux @ 5m            Efficacy: 19.6 lm/W            IP67            Control Protocol: USITT DMX-512a            Control Channels: 1, 3, 4, 6 or 7            Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz            Item Code: 12012007</p>		<p>1,121.00</p>
<b>ILUMILINE 21G2 IP</b> <b>RGB</b>	<p>LED Linear Wash            LED Source: 21 x 1W            Installed Optics: 60° x 10°            Lumens: 580            Base Illuminance: 43 Lux @ 5m            Efficacy: 19.6 lm/W            IP67            Control Protocol: USITT DMX-512a            Control Channels: 1, 3, 4 or 7            Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz            Item Code: 0160557</p>		<p>948.00</p>
<b>ILUMILINE 21G2 IP WW</b>	<p>Special Order - Warm White            Item Code: 01610625</p>		<p>991.00</p>

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclut pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Social: **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

copyright © Jam Industries Ltd. 

### Confidential Dealer Price List / Liste de prix confidentielle

**Sugg. Retail**  
**Détail sugg.**

**ILUMILINE 36IP RGB** *LED Linear Wash*  
*LED Source: 36 x 1W*  
*Installed Optics: 60° x 10°*  
*Lumens: 1,092*  
*Base Illuminance: 114 Lux @ 5m*  
*Efficacy: 24.1 lm/W*  
 IP67  
*Control Protocol: USITT DMX-512a*  
*Control Channels: 1, 3, 4 or 7*  
*Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz*  
*Item Code: 12036005*



1,287.00

**ILUMILINE 36IP WW** *Special Order - Warm White* *Item Code:01610627*

1,341.00

### INTERIOR SOLUTIONS

**ILUMILINE LOGIC 12** *LED Linear Wash*  
*LED Source: 12 x 1W*  
*Installed Optics: 120°*  
*Lumens: 273*  
*Base Illuminance: 3.95 Lux @ 5m*  
 IP20  
*Control Protocol: USITT DMX-512a*  
*Control Channels: via Logic Driver*  
*Input Voltage: via Logic Driver*  
*Item Code: 22012003*



289.00

**ILUMILINE LOGIC 36** *LED Linear Wash*  
*LED Source: 36 x 1W*  
*Installed Optics: 120°*  
*Lumens: 615*  
*Base Illuminance: 10 Lux @ 5m*  
 IP20  
*Control Protocol: USITT DMX-512a*  
*Control Channels: via Logic Driver*  
*Input Voltage: via Logic Driver*  
*Item Code: 22036001*



756.00

**ILUMIPOD LOGIC 6** *LED MR16 Wash*  
*LED Source: 6 x 1W*  
*Installed Optics: 18°*  
*Lumens: 121*  
*Base Illuminance: 20 Lux @ 5m*  
*Efficacy: 10.7 lm/W*  
 IP20  
*Control Protocol: USITT DMX-512a*  
*Control Channels: via Logic Driver*  
*Input Voltage: via Logic Driver*  
*Item Code: 21006001*



207.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclus pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com



### Confidential Dealer Price List / Liste de prix confidentielle

**Sugg. Retail**  
**Détail sugg.**

**ILUMIPOD LOGIC TRI-1** LED MR16 Wash  
LED Source: 1 x 3W RGB TRI Color  
Installed Optics: 25°  
Lumens: 74  
Base Illuminance: 20 Lux @ 5m  
Efficacy: 10 lm/W  
IP20  
Control Protocol: USITT DMX-512a  
Control Channels: via Logic Driver  
Input Voltage: via Logic Driver  
Item Code: 21001001



126.00

**ILUMIPOD LOGIC TRI-4** LED Wash  
LED Source: 4 x 3W RGB TRI Color  
Installed Optics: 25°  
Lumens: 351  
Base Illuminance: 139 Lux @ 5m  
Efficacy: 19 lm/W  
IP20  
Control Protocol: USITT DMX-512a  
Control Channels: via Logic Driver  
Input Voltage: via Logic Driver  
Item Code: 21004001



259.00

## CONTROL

**ILUMICODE** Remote addresser for Illumiline, Illumipanel and Illumipod exterior lighting fixtures  
Set DMX address  
Set calibration levels for color correction  
Set fixture personalities  
Set static looks  
2 AA battery powered  
Weight: 0.5 lb/0.2 kg  
Item Code: 44444001



325.00

**LOGIC 1X36** Logic Driver  
Stand Alone Control: Yes  
Remote Addresser: N/A  
Data Connection: RJ45 to 3-pin DMX in, RJ45 out  
Output per Line: 36 – 1 W or 12 – 3 W LEDs  
Output Lines: 1  
Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)  
Item Code: 31X36001



484.00

**LOGIC 4X36** Logic Driver  
Stand Alone Control: Yes  
Remote Addresser: N/A  
Data Connection: RJ45 to 3-pin DMX in, RJ45 out  
Output per Line: 36 – 1 W or 12 – 3 W LEDs  
Output Lines: 4  
Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)  
Item Code: 34X36001



1,324.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclus pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

copyright © Jam Industries Ltd. 

### Confidential Dealer Price List / Liste de prix confidentielle

**Sugg. Retail**  
**Détail sugg.**

**LOGIC 16X36** *Logic Driver*  
*Stand Alone Control: Yes*  
*Remote Addresser: N/A*  
*Data Connection: RJ45 to 3-pin DMX in, RJ45 out*  
*Output per Line: 36 – 1 W or 12 – 3 W LEDs*  
*Output Lines: 16*  
*Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)*  
*Item Code: 316X36001*



3,216.00

### INTERIOR SOLUTIONS

**MR16 - TRIM RING** *Brush Aluminium* *Item Code:* 66666001 **10.00**

**MR16 - TRIM RING** *White* *Item Code:* 66666002 **8.00**

**AR111** *Item Code: 77777001* **32.00**

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclut pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-5055 • www.eriksonpro.com

copyright © Jam Industries Ltd. 