

Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail
Détail sugg.

COLORISTPANEL8QA LED Wash Panel
-150W LED Source: 8 x 15W RGBA Quad Color
 Installed Optics: 15 °
 Lumens: 1,242
 Base Illuminance: 1,005 Lux @ 5m
 Efficacy: 23.2 lm/W
 IP65 – for temporary outdoor use only
 Control Protocol: USITT DMX-512a
 Control Channels: 4, 6 or 10
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
 Item Code: 3620841



1,257.00

COLORISTPANEL36QA LED Wash Panel
-150W LED Source: 36 x 15W RGBA Quad Color
 Installed Optics: 15 °
 Lumens: 5,206
 Base Illuminance: 5,070 Lux @ 5m
 Efficacy: 22.2 lm/W
 IP65 – for temporary outdoor use only
 Control Protocol: USITT DMX-512a
 Control Channels: 4, 6 or 10
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
 Item Code: 3620840



3,749.00

COLORISTLINE6QA LED Linear Wash
-150W LED Source: 6 x 15W RGBA Quad Color
 Installed Optics: 15 °
 Lumens: 948
 Base Illuminance: 781 Lux @ 5m
 Efficacy: 18.8 lm/W
 IP65 – for temporary outdoor use only
 Control Protocol: USITT DMX-512a
 Control Channels: 4, 6, 10, 24 or 29
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
 Item Code: 3610837



1,257.50

COLORISTLINE12QA LED Linear Wash
-150W LED Source: 12 x 15W RGBA Quad Color
 Installed Optics: 15 °
 Lumens: 1,811
 Base Illuminance: 1,382 Lux @ 5m
 Efficacy: 17.6 lm/W
 IP65 – for temporary outdoor use only
 Control Protocol: USITT DMX-512a
 Control Channels: 4, 6, 10, 48 or 53
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
 Item Code: 3610836



1,968.50

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclus pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail
Détail sugg.

COLORISTPOD7QA LED Par Wash
LED Source: 7 x 15W RGBA Quad Color
Installed Optics: 15 °
Lumens: 1,176
Base Illuminance: 880 Lux @ 5m
Efficacy: 22.9 lm/W
IP65 – for temporary outdoor use only
Control Protocol: USITT DMX-512a
Control Channels: 4, 6 or 10
Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
Item Code: 3630839



1,148.00

COLORISTPOD18QA LED Par Wash
-150W LED Source: 18 x 15W RGBA Quad Color
Installed Optics: 15 °
Lumens: 2,854
Base Illuminance: 2,232 Lux @ 5m
Efficacy: 22.5 lm/W
IP65 – for temporary outdoor use only
Control Protocol: USITT DMX-512a
Control Channels: 4, 6 or 10
Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
Item Code: 3630838



1,929.00

COLORISTPOD1QA-15 LED Par Wash
LED Source: 1 x 10W RGBA Quad Color
Installed Optics: 15 °
Lumens: 229
Base Illuminance: 162 Lux @ 5m
Efficacy: 14.6 lm/W
IP65 – for temporary outdoor use only
Control Protocol: USITT DMX-512a
Control Channels: 1, 4, 5, 6, 7 or 10
Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
Item Code: 03631070



508.00

ILUMIPOD 18G2 IP RGB LED Par Wash
30-DEG LED Source: 18 x 2 to 3W RGB
Installed Optics: 30 °
Lumens: 1,227
Base Illuminance: 285 Lux @ 5m
Efficacy: 21.6 lm/W
IP67
Control Protocol: USITT DMX-512a
Control Channels: 1, 3, 4 or 7
Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
Item Code: 01630554



1,242.00

ILUMIPOD 18G2 IP RGB Special Order – RGB with custom 15-degree lenses Item Code: SP01630554
15-DEG

1,476.00

ILUMIPOD 18G2 IP WW Special Order – Warm White – 30 degrees Item Code: 01630570
30-DEG

1,296.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclus pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Confidential Dealer Price List / Liste de prix confidentielle

		Sugg. Retail Détail sugg.
ILUMIPOD 18G2 IP WW 15-DEG	<i>Special Order - WW with custom 15-degree lenses Item Code: SP01630570</i>	1,517.50
ILUMIPOD 36G2 IP RGBW 30-DEG	<p><i>LED Par Wash</i> <i>LED Source: 36x 3W RGBW</i> <i>Installed Optics: 30°</i> <i>Lumens: 3,097</i> <i>Base Illuminance: 693 Lux @ 5m</i> <i>Efficacy: 28.6 lm/W</i> <i>IP67</i> <i>Control Protocol: USITT DMX-512a</i> <i>Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz</i> <i>Item Code: 01630929</i></p>	2,226.00
ILUMIPOD 36G2 IP RGBW 15-DEG	<i>Special Order - RGB with custom 15-degree lenses Item Code: SP01630938</i>	2,593.00
ILUMIPOD 54G2 IP RGBW 30-DEG	<p><i>LED Par Wash</i> <i>LED Source: 54x 3W RGBW</i> <i>Installed Optics: 30°</i> <i>Lumens: 4,570</i> <i>Base Illuminance: 1,038 Lux @ 5m</i> <i>Efficacy: 28.6 lm/W</i> <i>IP67</i> <i>Control Protocol: USITT DMX-512a</i> <i>Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz</i> <i>Item Code: 01630930</i></p>	3,171.00
ILUMIPOD 54G2 IP RGBW 15-DEG	<i>Special Order - RGB with custom 15-degree lenses Item Code: SP01630939</i>	3,725.50
ILUMIPOD71P-RGBW	<p><i>LED Par Wash</i> <i>LED Source: 7 x 1W RGBW</i> <i>Installed Optics: 18°</i> <i>Lumens: 137</i> <i>Base Illuminance: 50 Lux @ 5m</i> <i>Efficacy: 15 lm/W</i> <i>IP67</i> <i>Control Protocol: USITT DMX-512a</i> <i>Control Channels: 1, 3, 4, 5 or 7</i> <i>Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz</i> <i>Item Code: 11007008</i></p>	508.00



Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail
Détail sugg.

ILUMIPANEL 24G2 IP RGB 30-DEG	<p>LED Panel Wash LED Source: 24 x 3W RGB CREE LEDs Installed Optics: 30° Lumens: 1,400 Base Illuminance: 305 Lux @ 5m Efficacy: 20.6 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 01620928</p>		<p>1,420.50</p>
ILUMIPANEL 24G2 IP RGB 15-DEG	<p>Special Order - WW with custom 15-degree lenses Item Code: SP1620962</p>		<p>1,796.50</p>
ILUMIPANEL 40IP RGB 30-DEG	<p>LED Panel Wash LED Source: 40 x 3W RGB CREE LEDs Installed Optics: 30° Lumens: 2,680 Base Illuminance: 631 Lux @ 5m Efficacy: 22.75 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 01620521</p>		<p>1,952.50</p>
ILUMIPANEL 40IP WW 30-DEG	<p>WW with 30-degree lenses Item Code: 01620629</p>		<p>2,110.00</p>
ILUMIPANEL 40IP RGB 15-DEG	<p>Special Order - RGB with custom 15-degree lenses Item Code: 01620545</p>		<p>2,421.00</p>
ILUMIPANEL 40IP WW 15-DEG	<p>Special Order - WW with custom 15-degree lenses Item Code: SP01620632</p>		<p>2,554.00</p>
ILUMIPANEL 90IP	<p>LED Panel Wash LED Source: 90 x 5W RGB CREE LEDs Installed Optics: 30° Lumens: 5,806 Base Illuminance: 1,418 Lux @ 5m Efficacy: 20.4 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4, 6 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 01620434</p>		<p>5,819.00</p>
ILUMIPANEL 90 IP 6-15 RGB	<p>Special Order - RGB with custom 6-15-degree lenses</p>		<p>6,639.00</p>

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclut pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

copyright © Jam Industries Ltd. 

Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail
Détail sugg.

ILUMIPANEL 180IP	<p>LED Panel Wash LED Source: 180 x 5W RGB Installed Optics: 15° & 30° Lumens: 10,832 Base Illuminance: 4,698 Lux @ 5m Efficacy: 20.3 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4, 6 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 01620634</p>		10,583.00
ILUMIPANEL 180 IP 6 -15-DEG	<p>Special Order - RGB with custom 6-15-degree lenses</p>		12,106.00
ILUMIPOD INGROUND TRI 12 IP RGB	<p>LED In Ground Wash LED Source: 12 x 3W RGB TRI Color Installed Optics: 25° Lumens: 679 Base Illuminance: 225 Lux @ 5m Efficacy: 17.4 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4, 6 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 11012001</p>		1,711.00
ILUMIPOD INGROUND TRI 12 IP WW	<p>Special Order - Warm White</p>	<p>Item Code: 01630581</p>	1,458.00
ILUMIPOD INGROUND TRI 3 IP RGB	<p>LED In Ground Wash LED Source: 3 x 3W RGB TRI Color Installed Optics: 25° Lumens: 215 Base Illuminance: 69 Lux @ 5m Efficacy: 17.6 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 11003001</p>		539.00
ILUMIPOD INGROUND TRI 3 IP WW	<p>Special Order - Warm White 01630585</p>	<p>Item Code:</p>	481.00
ILUMILINE INGROUND TRI 12 IP RGB	<p>LED In Ground Wash LED Source: 12 x 3W RGB TRI Color Installed Optics: 25° Lumens: 879 Base Illuminance: 222 Lux @ 5m Efficacy: 19.6 lm/W IP67 Control Protocol: USITT DMX-512a Control Channels: 1, 3, 4, 6 or 7 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz Item Code: 12012007</p>		1,164.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclut pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

 Head Office - Siège Social: **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

 copyright © Jam Industries Ltd. 

Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail
Détail sugg.

984.00

ILUMILINE 21G2 IP LED Linear Wash
RGB LED Source: 21 x 1W
 Installed Optics: 60° x 10°
 Lumens: 580
 Base Illuminance: 43 Lux @ 5m
 Efficacy: 19.6 lm/W
 IP67
 Control Protocol: USITT DMX-512a
 Control Channels: 1, 3, 4 or 7
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
 Item Code: 0160557



ILUMILINE 21G2 IP WW Special Order - Warm White
 01610625 Item Code:

1,029.00

ILUMILINE 36IP RGB LED Linear Wash
 LED Source: 36 x 1W
 Installed Optics: 60° x 10°
 Lumens: 1,092
 Base Illuminance: 114 Lux @ 5m
 Efficacy: 24.1 lm/W
 IP67
 Control Protocol: USITT DMX-512a
 Control Channels: 1, 3, 4 or 7
 Input Voltage: Auto-ranging 100 to 240 VAC, 50/60 Hz
 Item Code: 12036005



1,336.00

ILUMILINE 36IP WW Special Order - Warm White
 Item Code: 01610627

1,392.00

ILUMILINE LOGIC 12 LED Linear Wash
 LED Source: 12 x 1W
 Installed Optics: 120°
 Lumens: 273
 Base Illuminance: 3.95 Lux @ 5m
 IP20
 Control Protocol: USITT DMX-512a
 Control Channels: via Logic Driver
 Input Voltage: via Logic Driver
 Item Code: 22012003



300.00

ILUMILINE LOGIC 36 LED Linear Wash
 LED Source: 36 x 1W
 Installed Optics: 120°
 Lumens: 615
 Base Illuminance: 10 Lux @ 5m
 IP20
 Control Protocol: USITT DMX-512a
 Control Channels: via Logic Driver
 Input Voltage: via Logic Driver
 Item Code: 22036001



784.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclus pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail
Détail sugg.

ILUMIPOD LOGIC 6 LED MR16 Wash
LED Source: 6 x 1W
Installed Optics: 18°
Lumens: 121
Base Illuminance: 20 Lux @ 5m
Efficacy: 10.7 lm/W
IP20
Control Protocol: USITT DMX-512a
Control Channels: via Logic Driver
Input Voltage: via Logic Driver
Item Code: 21006001



215.00

ILUMIPOD LOGIC TRI-1 LED MR16 Wash
LED Source: 1 x 3W RGB TRI Color
Installed Optics: 25°
Lumens: 74
Base Illuminance: 20 Lux @ 5m
Efficacy: 10 lm/W
IP20
Control Protocol: USITT DMX-512a
Control Channels: via Logic Driver
Input Voltage: via Logic Driver
Item Code: 21001001



131.00

ILUMIPOD LOGIC TRI-4 LED Wash
LED Source: 4 x 3W RGB TRI Color
Installed Optics: 25°
Lumens: 351
Base Illuminance: 139 Lux @ 5m
Efficacy: 19 lm/W
IP20
Control Protocol: USITT DMX-512a
Control Channels: via Logic Driver
Input Voltage: via Logic Driver
Item Code: 21004001



269.00

ILUMICODE Remote addresser for Illumiline, Illumipanel and Illumipod exterior lighting fixtures
Set DMX address
Set calibration levels for color correction
Set fixture personalities
Set static looks
2 AA battery powered
Weight: 0.5 lb/0.2 kg
Item Code: 44444001



357.00

LOGIC 1X36 Logic Driver
Stand Alone Control: Yes
Remote Addresser: N/A
Data Connection: RJ45 to 3-pin DMX in, RJ45 out
Output per Line: 36 – 1 W or 12 – 3 W LEDs
Output Lines: 1
Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
Item Code: 31X36001



530.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclus pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

Confidential Dealer Price List / Liste de prix confidentielle

Sugg. Retail
Détail sugg.

LOGIC 4X36 *Logic Driver*
Stand Alone Control: Yes
Remote Addresser: N/A
Data Connection: RJ45 to 3-pin DMX in, RJ45 out
Output per Line: 36 – 1 W or 12 – 3 W LEDs
Output Lines: 4
Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
Item Code: 34X36001



1,453.00

LOGIC 16X36 *Logic Driver*
Stand Alone Control: Yes
Remote Addresser: N/A
Data Connection: RJ45 to 3-pin DMX in, RJ45 out
Output per Line: 36 – 1 W or 12 – 3 W LEDs
Output Lines: 16
Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
Item Code: 316X36001



3,529.00

MR16 - TRIM RING *Brush Aluminium*
66666001

Item Code:

11.00

MR16 - TRIM RING *White*
66666002

Item Code:

9.00

AR111 *Item Code: 77777001*

35.00

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. "SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Prix n'inclus pas la TPS et sont sujets à changement sans préavis. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Orders / Commandes: 866-916-4660 • Fax: 888-918-2244

Service Phone: 877-JAMLINE or / ou 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale **Montreal** 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonpro.com

copyright © Jam Industries Ltd. 