



















dB Technologies AUTHORIZED DEALER PRICE LIST
www.dbtechnologies.com

















Confidential Dealer Price List
Liste de prix confidentielle du détaillant

Effective Date: April 15, 2016

Table with columns: Model/Modèle, Description, and Retail. It lists various audio equipment including Vio Array Series, Vio Accessories, DVA Array Series, and DVA Accessories with their respective prices.

<b>DVA Accessories</b>			
	<b>AFL 05</b>	Powercon-Powercon link cable. 1.5m length	\$99.00
	<b>DCK-45</b>	Cable-Set for DVA T8/T12/K5/M2M; 1x PowerCon(10m), 3x PowerCon Link(0,5m), 3x XLR(0,5m)	\$419.00
	<b>DCK-15</b>	Cable-Set for DVA T8/T12/K5/M2M; 1x PowerCon Link(0,5m), 1x XLR(0,5m)	\$129.00
	<b>DPC-15</b>	PowerCon Patch 0,5m	\$69.00
	<b>DAC-15</b>	XLR-Patch 0,5m	\$65.00
	<b>DCK-27</b>	Cable-set for DVA M2M/MS12/T12/T8/K5; 2 x Powercon Link, 2 x XLR, 70cm	\$299.00
	<b>RDC-45M</b>	RDNET cable RJ45 to XLR-M, converts data signal XLR male connector, 6cm	\$99.00
	<b>RDC-45F</b>	RDNET cable RJ45 to XLR-F, converts data signal XLR female connector, 6cm	\$99.00
<b>DVA Mini Array Series</b>			
	<b>DVA M2M + M2S</b>	2-Way Active Master Line Array Module and 2-Way Slave Line Array Module, 2x6.5" Neo Woofers incl. Phaseplug, 2x1" Neo Drivers, 200(M2M)+200(M2S)W/RMS, 90-19,000 Hz, 126 dB SPL, SMPS with auto-range, 460x190x345mm, M2M: 7.6 kg, M2S: 7.1 kg	\$2,549.00
	<b>DVA M2M + M2SW</b>	Same as above in white	\$2,599.00
	<b>DVA MS12</b>	Active Bass-Reflex Flyable Subwoofer, 1x12" Woofer, 700 W/RMS, 45-140 Hz, 131dB SPL, SMPS with auto-range, Integrated flying hardware, 460x430x385 mm, 26.5 kg	\$2,099.00
	<b>DVA M2P</b>	2-Way Passive Line Array Module, 2x6.5" Neo Woofers incl. Phaseplug, 2x1" Neo Drivers, 150 W/RMS, 78-19,000 Hz [+/-6dB], 126 dB SPL. Black. Dimensions: 460x190x345 mm, Weight: 7.1 kg SHIPS IN PAIRS.	\$2,099.00
<b>DVA Mini Accessories</b>			
	<b>DRK-M5</b>	Flybar for DVA MINI	\$749.00
	<b>DRK-M5 W</b>	Fly bar for hanging up to 16 x DVA Mini modules. White	\$749.00
	<b>DSA-M2</b>	Pole mount adapter for DVA MINI	\$329.00
	<b>DS2-S</b>	Mini pole for all DVA subwoofers	\$50.00
	<b>DS 2</b>	Professional Pole Mount, adjustable, M20 thread	\$69.00
	<b>DSF-M2</b>	Adapter for fixing DVA M2 to SUB-H and SUB-D	\$329.00
	<b>DGS-MS12</b>	Base for ground stacking DVA MS12 and DVA M2	\$129.00
	<b>ADT-8-MINI</b>	Metal-trolley for DVA MINI	\$659.00
	<b>DCK-27</b>	Cable-set for DVA M2M/MS12/T12/T8/K5; 2 x Powercon Link, 2 x XLR, 70cm	\$299.00
	<b>RC M2</b>	Rain cover for DVA M2M and M2S	\$59.00
	<b>RC MS12-SUBH</b>	Rain cover for DVA MS12	\$59.00
<b>DVX HP Series</b>			
	<b>DVX D8 HP</b>	2-way Active Speaker with 8"woofer 2"VC,400W/RMS digipro® G2 digital power, System preset DSP Flat / Processed, 90°x70° CD horn, SPL peak 125 dB, Dimensions: 250x425x260mm, weight 11.5 Kg / 25.3 lbs.	\$1,499.00
	<b>DVX D10 HP</b>	2-way Active Speaker with 10"woofer 2,5"VC, 600W/RMS digipro® G2 digital power, System preset DSP Flat / Processed, 90°x70° CD horn, SPL peak 127 dB, Dimensions: 290x510x310mm, Weight :14Kg / 30.8 lbs.	\$1,719.00
	<b>DVX D12 HP</b>	2-way Active Speaker with 12"woofer 3"VC, 700W/RMS digipro® G2 digital power, System preset DSP Flat / Processed, 60°x40° CD horn, SPL peak 131 dB, Dimensions: 370x395x625mm, Weight: 27.5Kg / 60.63lbs.	\$2,399.00
	<b>DVX D15 HP</b>	2-way Active Speaker with 15"woofer 3,5"VC, 700W/RMS digipro® G2 digital power, System preset DSP Flat / Processed, 60°x40° CD horn, SPL peak 132 dB, Dimensions: 430x690x450mm, Weight: 30.3Kg / 66.8lbs.	\$2,549.00
<b>DVX Monitors</b>			
	<b>DVX DM 12TH</b>	2-way stage monitor, 1 x 12" RCF neodymium woofer with 3" VC, 1 x 1,4" neodymium CD-driver with 3" VC, rotatable aluminum CD-Horn (90°x40°), rotatable frontal panel (left/right config) 1500W/RMS, 63Hz-16KHz, 136 dB SPL, SMPS with PFC, 670x325x405mm, 24.5kg/54lbs	\$3,899.00
	<b>DVX DM 15TH</b>	2-way stage monitor, 1x15" RCF neodymium woofer with 4" VC, 1 x 1.4" neodymium CD-driver with 3" VC, rotatable aluminum CD-Horn (90°x40°), rotatable frontal panel (left/right config) 1500W/RMS, 55Hz-16KHz, 136 dB SPL, SMPS with PFC, 735x355x447mm, 28.5kg/62.8lbs	\$4,049.00
	<b>DVX DM 28</b>	2-way stage monitor, 2 x 8" RCF neodymium woofers with 2,5" VC, 1 x 1" neodymium HF-driver with 1,75" VC, asymmetrical CD-Horn (90°x 60°/40°), 750W/RMS , 70Hz-20KHz, SPL max. 130dB, Dimensions 480x265x418mm, weight 14kg/30.8lbs	\$2,219.00
	<b>DVX DM 12</b>	2-way stage monitor, 1 x 12" RCF neodymium woofer with 3" VC, 1 x 1.4" neodymium CD-driver with 2.5" VC, CD-Horn (40°+ 90°), 750W/RMS , 55Hz-20KHz, SPL max. 131dB, Dimensions 660x305x378mm, weight 17.5kg/38.5lbs	\$2,769.00
	<b>DVX DM 15</b>	2-way stage monitor, 1 x 15" RCF neodymium woofer with 3" VC, 1 x 1.4" neodymium CD-driver with 2.5" VC, CD-Horn (40°+ 90°), 750W/RMS 55Hz-20KHz, SPL max. 132dB, Dimensions 660x305x378mm, weight 21kg/46.3lbs	\$2,849.00
<b>DVX Accessories</b>			
	<b>DTF 8</b>	Easy mount bracket for DVX D8, includes 2x quick release pins	\$299.00
	<b>DTF 10</b>	Easy mount bracket for DVX D10, includes 2x quick release pins	\$299.00
	<b>DTF 12</b>	Easy mount bracket for DVX D12, includes 2x quick release pins	\$419.00
	<b>DTF 15</b>	Easy mount bracket for DVX D15, includes 2x quick release pins	\$449.00
	<b>DTF 8A</b>	Mounting bracket for DVX D8HP, can be mounted on any kind of structure.	\$225.00
	<b>DTF 10A</b>	Mounting bracket for DVX D10HP, can be mounted on any kind of structure.	\$225.00
	<b>WB 09</b>	Universal wall mount bracket, swivel and tilt Ø35mm pole mount.	\$99.00
	<b>TC8</b>	Cover for DVX D8	\$60.00
	<b>TC10</b>	Cover for DVX D10	\$75.00
	<b>TC12</b>	Cover for DVX D12	\$85.00
	<b>TC15</b>	Cover for DVX D15	\$90.00
	<b>TC12M</b>	Cover for DVX DM12	\$99.00
	<b>TC15M</b>	Cover for DVX DM15	\$99.00
	<b>TC28M</b>	Cover for DVX DM28	\$60.00
	<b>TE M10</b>	Eye-bolt set with M10-thread for DVX D12/D15	\$35.00
	<b>TE M8</b>	Eye-bolt set with M8-thread for DVX D8/D10	\$35.00
<b>Ingenia Series</b>			
	<b>IG1T</b>	2-way Active Speaker 2x6.5" neo woofers, 1" comp. driver, 400W digipro® G3, 56 bit DSP, OLED display with control knob, digital steering coverage, infrared EPD (Element Position Detection) system. Dimensions: 195x536x271mm (7.68x21.10x10.67in), Weight 23.4lbs.	\$1,719.00
	<b>IG2T</b>	2-way Active Speaker 2x8" neo woofers, 1" comp. driver, 400W digipro® G3, 56 bit DSP, OLED display with control knob, digital steering coverage, infrared EPD (Element Position Detection) system. Dimensions: 228x646x315mm (8.98x25.43x12.40in), Weight 12.8Kg – 28.22lbs.	\$2,099.00
	<b>IG3T</b>	2-way Active Speaker 2x10" neo woofers, 1.4" comp. driver, 700W digipro® G3, 56 bit DSP, OLED display with control knob, digital steering coverage, infrared EPD (Element Position Detection) system. Dimensions: 280x806x393mm (11.02x31.73x15.47in), Weight 49lbs.	\$2,769.00
	<b>IG4T</b>	2-way Active Speaker 4x6.5" neo woofers, 1.4" comp. driver, 700W digipro® G3, 56 bit DSP, OLED display with control knob, digital steering coverage, infrared EPD (Element Position Detection) system. Dimensions: 195x956x271mm (7.68x37.64x10.67in), Weight 42.8lbs.	\$2,849.00

<b>Ingenia Accessories</b>			
	<b>DRK-IG</b>	Flybar for INGENIA Series	\$599.00
	<b>RC-M1</b>	Magnetic rain cover for INGENIA Series	
	<b>GSA-IG</b>	Subwoofer mounting adapter for INGENIA series speaker. Compatible Subwoofers: DVA S09 DP, DVA S10 DP, DVA S1521 N, DVA S1518 N, DVA S2585 N, SUB 15H, SUB 18H.	\$55.00
	<b>TA-IG</b>	DRK-IG fly-bar adapter for ALISCAFF clamp mounting	\$35.00
	<b>TC-IG1T</b>	Transport Cover for IG1T	
	<b>TC-IG2T</b>	Transport Cover for IG2T	
	<b>TC-IG3T</b>	Transport Cover for IG3T	
	<b>TC-IG4T</b>	Transport Cover for IG4T	
	<b>LP-IG</b>	Link bracket for INGENIA Series. Sold in pairs	\$90.00
<b>Miniboxes</b>			
	<b>K 70</b>	Compact Active Speaker 1x5" dB Bass + Tweeter, 100W / Music, 50W / RMS, 101 dB SPL max, 100 – 16.000Hz, Dimensions 170x270x185 mm, Weight 3.5 Kg	\$299.00
	<b>K 162</b>	Compact Active Speaker 2 x 6.5" dB Bass + Tweeter, 130W / Music, 65W / RMS, 110 dB SPL max, 85 – 19.000 Hz, Dimensions 210x350x270mm, Weight 5.5 Kg	\$339.00
	<b>K 300</b>	Compact Active Speaker 2 x 6.5" neodymium woofer with 1.5" VC, 1" neodymium driver , Class-D Bi-Amp 120 W/RMS, max. SPL peak 118dB, Dimensions 210x350x270 mm, weight 5.5Kg	\$549.00
	<b>L 80D</b>	2x5" broadband chassis with phase correction, 80 W music / 40 W RMS, 100dB SPL max, 65-17.000Hz, dimensions: 195x195x317 mm, Weight 3,1 Kg.	\$399.00
	<b>L 160D</b>	Compact Active Speaker 2x5" woofer 1" coaxial tweeter, 160W digipack, DSP 24bit 48 kHz, 116 dB SPL max, 63-20.000Hz, Dimensions: 200x335x220 mm, Weight 5.2Kg.	\$479.00
<b>Accessories</b>			
	<b>WB11</b>	Speaker Stand adaptor / wallmount bracket for L-, K-Series	\$99.00
	<b>WB 03</b>	Swivel and tilt wallmount bracket for L-, K-Series, black	\$55.00
	<b>SN 130</b>	Microphone Stand adaptor for L-, K-Series	\$65.00
	<b>AFL 01</b>	Speaker pole, Ø 35mm, for SUB D. Adjustable height.	\$99.00
	<b>TT06</b>	Cover for K-Series	\$65.00
	<b>AK 50</b>	Removable handle for MINIBOX K162 and K300. Black.	\$30.00
<b>Controllers</b>			
	<b>AC26N</b>	Digital Audio Controller, 2in/6out, 2 channel AES/EBU I/O, RDNet & USB interface	\$1,299.00
<b>DVX Passive Series</b>			
	<b>DVX P8</b>	2-way passive speaker, 8" woofer with 2" VC, 1" Neodym compression driver with 1.5" VC, rotatable CD-Horn (90°x70°), 300W/RMS, 75Hz-20KHz, 125 dB SPL, Dimensions 250x425x260mm, weight 9.8kg/21.6lbs.	\$1,099.00
	<b>DVX P10</b>	2-way passive speaker, 10" woofer with 2" VC, 1" Neodym compression driver with 1.5" VC, rotatable CD-Horn (90°x70°), 300W/RMS, 70Hz-20KHz, 127 dB SPL, Dimensions 290x510x310mm, weight 12.5kg/27.6lbs.	\$1,229.00
	<b>DVX P12</b>	2-way passive speaker, 12" woofer with 3" VC, 1.4" Neodym compression driver with 2.5" VC, rotatable CD-Horn (90°x70°), 500W/RMS, 90Hz-20KHz, 133 dB SPL, Dimensions 370x625x395mm, weight 23.2kg/51.1lbs.	\$1,749.00
	<b>DVX P15</b>	2-way passive speaker, 15" woofer with 3" VC, 1.4" Neodym compression driver with 2.5" VC, rotatable CD-Horn (90°x40°), 500W/RMS, 60Hz-20KHz, 133 dB SPL, Dimensions 430x690x450mm, weight 26.1kg/57.5lbs.	\$1,999.00
	<b>DVX P215</b>	Passive speaker, 2x15" woofer with 3" VC, 1.4" Neodym compression driver with 2.5" VC, rotatable CD-Horn (90°x40°).	\$3,299.00
	<b>DVX PSW15</b>	Passive subwoofer, 15" woofer with 3" VC, 1000W Peak power, 500W/RMS, 35Hz-200Hz, 132 dB SPL, Dimensions 470x627x600mm, weight 30.9kg/68.1lbs.	\$1,589.00
	<b>DVX PSW18</b>	Passive subwoofer, 1x18" woofer with 4" VC, 2000W Peak power, 1000W/RMS, 28Hz-200Hz, 134 dB SPL, Dimensions 565x710x700mm, weight 44.1kg/97.2lbs.	\$1,979.00
	<b>DVX PSW218</b>	Passive subwoofer, 2x18" woofer with 4" VC, 4000W Peak power, 2000W/RMS, 28Hz-200Hz, 140 dB SPL, Dimensions 565x1207x700mm, weight 74.2kg/163lbs.	\$2,969.00
<b>DVX Accessories</b>			
	<b>DTF 8</b>	Easy mount bracket for DVX D8, includes 2x quick release pins	\$299.00
	<b>DTF 10</b>	Easy mount bracket for DVX D10, includes 2x quick release pins	\$299.00
	<b>DTF 12</b>	Easy mount bracket for DVX D12, includes 2x quick release pins	\$419.00
	<b>DTF 15</b>	Easy mount bracket for DVX D15, includes 2x quick release pins	\$449.00
	<b>DTF 8A</b>	Mounting bracket for DVX D8HP, can be mounted on any kind of structure.	\$225.00
	<b>DTF 10A</b>	Mounting bracket for DVX D10HP, can be mounted on any kind of structure.	\$225.00
	<b>WB 09</b>	Universal wall mount bracket, swivel and tilt Ø35mm pole mount.	\$99.00
	<b>TC8</b>	Cover for DVX D8	\$60.00
	<b>TC10</b>	Cover for DVX D10	\$75.00
	<b>TC12</b>	Cover for DVX D12	\$85.00
	<b>TC15</b>	Cover for DVX D15	\$90.00
	<b>TE M10</b>	Eye-bolt set with M10-thread for DVX D12/D15	\$35.00
	<b>TE M8</b>	Eye-bolt set with M8-thread for DVX D8/D10	\$35.00

ANY PRODUCT WITH MAP IS SUBJECT TO THE TERMS & CONDITIONS OF THE ERIKSON PRO MAP POLICY. PRICES DO NOT INCLUDE TAXES AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS. ERIKSON PRO STANDARD INVOICE TRADE TERMS ARE 2% / 25 DAYS NET

LES PRODUIT AVEC LE PRIX "MAP" SONT SOUMIS AUX TERMES ET CONDITIONS DE LA POLITIQUE PMA D'ERIKSON PRO. Prix n'inclus pas les taxes et sont sujets à changement sans preavis. La possession de cette liste de prix ne confere pas automatiquement le statut de marchand. LES CONDITIONS DE COMMERCE D'USAGE D' ERIKSON PRO SONT DE 2% / 25 JOURS NET