


















































Model Modèle		Retail	
Vio Array Series			
	Vio L212	Active 3-Way Array Module 3200W/RMS Class D, 2x12", 4x6.5", 2x1.4" drivers, 90° Horizontal, 142dB max, Full-range SMPS with PFC, RD-Net Control, Dante Option, Multiplex Plywood Polyurea Painted, Dim.1100x380x450mm, Weight 52.9kg	\$11,549.00
	Vio L210	Active 2-Way Array Module 900W/RMS Class-D, 2x10"Woofer, 1x1.4" driver, 100°x10°, 135 dB max., 56-Bit DSP, Switchmode supply, RD-Net control, Multiplex Plywood Polyurea Painted, Dim.720x320x520mm, Weight 28.6kg	\$5,339.00
	Vio L208	Active 2-Way Array Module 900W/RMS Class-D, 2x8"Woofer, 1x1.4" driver, 100°x10°, 133.5 dB max., 56-Bit DSP, Switchmode supply, RD-Net control, Multiplex Plywood Polyurea Painted, Dim.600x260x390mm, Weight 18.1kg	\$4,499.00
	Vio S118	Active 1x18" Horn Loaded Flyable Subwoofer, 1600W/RMS, 4" v.c. woofer, 139 dB SPL max, Switchmode supply with PFC, RD-Net control, Multiplex Plywood Polyurea Painted, Dim.720x520x695mm, Weight 45.1kg	\$7,499.00
	Vio S118R	Active 1x18" Bass Reflex Subwoofer, 1600W/RMS, 4" v.c. woofer, 139 dB SPL max, Switchmode supply with PFC, RD-Net control, Multiplex Plywood Polyurea Painted, Dim.720x520x695mm, Weight 47kg	\$6,749.00
	Vio S218	Active 2x18" Subwoofer, 3200W/RMS, 4" v.c. woofer, 143 dB SPL max, Switchmode supply with PFC, RD-Net control, Multiplex Plywood Polyurea Painted, Dim.1300x800x520mm, Weight 85.6kg	\$9,749.00
	Vio S318	Active 3x18" Subwoofer, 2700W/RMS, 4" v.c. woofer, 143 dB SPL max., 64-Bit DSP, Switchmode supply, RD-Net control, Multiplex Plywood Polyurea Painted, Dim.1300x800x520mm, Weight 103.9kg	\$8,999.00
Vio Accessories			
	DRK-212	Flybar for Vio L212	TBA
	DRK-210	Flybar for Vio L210	\$2,099.00
	DRK-208	Flybar for Vio L208	\$1,199.00
	TF-VIO2	Transition frame for flying VioL210 below VioL212	TBA
	FSA - VIOL210	Flying sub adapter for VIO S118 and VIO L210	\$419.00
	GSA - VIOL210	Ground-stacking sub adapter for VIO S118 and VIO L210	\$589.00
	DSA-VIOL208	Groundstack adapter for VIO L208 on VIO S118 and S118R	TBA
	DO-VioL212	Dolly transport for 1 x VioL212	TBA
	DT-VioL212	Touring cart for 4 x VioL212	TBA
	DT-VioL210	Trolley for Vio L210	\$3,299.00
	DT-VIOL208	Touring cart for 4 x VioL208 modules and a DRK-208 flybar	\$2,549.00
	DT-DRK212	Touring cart for 2 x DRK212 flybars and cable storage	TBA
	DO VIOS118	Dolly for up to 3x VIO S118/118R with integrated hardware to secure the sub (wheels included)	\$719.00
	DO-VioS318	Dolly for up to 3x VioS318/S218 Stacked horizontally (wheels included)	\$1,399.00
	TC VIOL210	Transport cover for DT-VIOL210. Waterproof	\$319.00
	FC-VioS318	Functional Cover for 2 x VioS318/S218	\$739.00
Vio X			
	VioX10	2-way Active Speaker with integrated 900W/RMS Digipro® G3 digital bi-amp power, 28/56bit DSP, 1 x 10" neodym woofer with 2.5"VC, 1" HF driver, FIR Filtering, 90°x40° horn, SPL peak 130dB. Dimensions 280x550x375mm, weight 16.6kg	\$2,179.00
	VioX12	2-way Active Speaker with integrated 900W/RMS Digipro® G3 digital bi-amp power, 28/56bit DSP, 1 x 12" neodym woofer with 3"VC, 1.4" neodym HF driver, FIR Filtering, 60°x40° horn, SPL peak 132dB. Dimensions 340x650x445mm, weight 20.7kg	\$2,999.00
	VioX15	2-way Active Speaker with integrated 900W/RMS Digipro® G3 digital bi-amp power, 28/56bit DSP, 1 x 15" neodym woofer with 3"VC, 1.4" neodym HF driver, FIR Filtering, 60°x40° horn, SPL peak 133.5dB. Dimensions 400x750x475mm, weight 25.4kg	\$3,229.00
Vio X Accessories			
	RC-M1	Magnetic Rain Cover for all Ingenia, Opera and VioX models	\$149.00
	WB-VIOX10H	Horizontal wall bracket for VioX10	TBA
	WB-VIOX10V	Vertical wall bracket for VioX10. 36mm Pole mount included	TBA
	WB-VIOX12H	Horizontal wall bracket for VioX12	TBA
	WB-VIOX12V	Vertical wall bracket for VioX12. 36mm Pole mount included	TBA
	WB-VIOX15H	Horizontal wall bracket for VioX15	TBA
	WB-VIOX15V	Vertical wall bracket for VioX15. 36mm Pole mount included	TBA

DVA Array Series			
	DVA T12	Active 3-Way Array Module 1400W/RMS Class-D, 1x12" Woofer, 2x6.5" Mid, 3x1" driver, 100°x10°, 136 dB max., 24-Bit/96KHz DSP, Switchmode supply with PFC, RD-Net control, Dim.580x386x430mm, Weight 29.9kg	\$6,599.00
	DVA T12 WHT	Same as DVA T12 in white	\$6,599.00
	DVA T8	Active 3-Way Line-Array Module, 1x 8", 1x 6.5" hornloaded incl. Phaseplug, 2x1" Neo Compression Driver with 100°x15° CD-Horn, integrated Class-D Amp, 700W RMS, 24-bit DSP 96 KHz, Sampling Rate, 24-Bit AD, RD-Net control,	\$3,898.89
	DVA T8 WHT	Same as DVA T8 in white	\$4,049.00
	DVA K5	Active 3-Way Line-Array Module, 1x 8", 1x 6.5" hornloaded Midrange Woofer, 2x1" Compression Driver with 100°x15° CD-Horn, Class-D Amp, 500W RMS, 129dB max SPL. Dim.580x240x327mm, 14.2kg	\$2,629.00
	DVA S08	12" high power active bass-reflex subwoofer, 12"RCF Neodym Woofer, 800 W/RMS digipro®, max. SPL: 131 dB, Stereo Active X-Over, DSP 24 Bit/ 48 kHz. Weight: 23kg,	\$2,179.00
	DVA S09	Active Band-Pass Subwoofer, 1x15" RCF neodym-woofer with 4" Voice-Coil, 1000 W/RMS digipro® Class-D power amp incl. switched mode supply with PFC, active x-over @ 90/120 Hz, SPL 134dB peak, Weight 37.5kg, Dimensions: 515x440x720mm.	\$2,779.00
	DVA S09 WHT	Same as DVA S09 in white	\$2,849.00
	DVA KS10	Active Bandpass subwoofer, 1x18", 1000W/RMS Class-D Integrated active stereo x-over, switchable 90/120Hz, freq.response 38 - 120Hz, 134dB SPL peak, Weight 48kg, Dimensions:515x640x720mm	\$3,229.00
	DVA KS20	Active dual 18" Subwoofer, Bassreflex Design, 2x18", 2000W/RMS, Active stereo X-over with switchable crossover frequency. 34 - 120Hz, 138 dB SPL peak. Dimensions: 1100x580x720mm, Weight 84kg	\$4,949.00
	DVA S30	Active 2x18" Subwoofer with hornloaded Reflex-tunnel, 3000W/RMS, 4"v.c. Neodym woofer, 141 dB SPL max., 24-Bit/96KHz DSP, Switchmode supply with PFC, RD-Net control, Dim. 1100x580x720mm, Weight 83kg	\$6,749.00
	DVA S1518N	Active Subwoofer Bandpass, 1x18" Neodymium, max. SPL:138 dB, 1500 W/RMS digipro® G2, System preset : X-Over Phase Delay, RDnet, Dimension: 510x640x720mm, Weight 46kg	\$5,849.00
	DVA S2585N	Active Cardioid-Subwoofer 1x18" front + 1x15" back, max. SPL: 140 dB, 2500W/RMS digipro® G2, System preset : X-Over Phase Delay, RDnet, 2x RJ45, Dimension: 515x640x1000mm, Weight 65kg	\$8,249.00
	DVA S1521N	Active Bassreflex-Subwoofer, 1x21" Neodymium, max. SPL:139 dB, 1500 W/RMS digipro® G2, System preset : X-Over Phase Delay, RDnet, Dimension: 580x800x720mm, Weight 52.5kg	\$6,379.00
	RDNET CONTROL2	RDNet Controller for 2 Lines per 32 Speakers	\$589.00
DVA Accessories			
	DRK-20	Fly Frame for DVA for up to 24 x DVA T12	\$1,649.00
	DRK-10	Fly Frame for DVA for up to 10 x DVA T8	\$1,379.00
	DRK-10 WHT	Same as DRK-10 in white	\$1,429.00
	DRK-HK	Additional hook for DRK-20, plus 2 Pins	\$72.00
	SRK 10	Fly-Hardware-Set for DVA KS10 for up to 2x KS10 /8x DVA K5 on one DRK-10	\$599.00
	SRK 09	Fly-Hardware-Set for DVA S09 for up to 1x S09 /8x DVA T8 on one DRK-10	\$539.00
	SRK 09 WHT	Fly-Hardware-Set for DVA S09W for up to 1x S09 /8x DVA T8 on one DRK-10 in white	\$569.00
	TC 08S	Cover for DVA S08 Subwoofer	\$119.00
	TC 09S	Cover for DVA S09 Subwoofer	\$129.00
	TC 30S	Cover for DVA S20/30 Subwoofer	\$109.00
	TC18S	Cover for DVA S1518N	\$60.00
	TCA30S	Raincover for DVA S30 amplifier	\$66.00
	DT-6	Metal-Trolley for up to 6 x DVA T8/K5 and 1 x DRK-10, prepared for mounting, 4 Bluewheels	\$779.00
	DSA-4	Adapter for up to 3x DVA T8/K5 on a speaker stand/pole or floor use through int. feet	\$659.00
	DS 2	Professional Pole Mount, adjustable, M20 thread	\$72.00
	DWB-3	Wall-Mount-Adaptor for up to 3 DVA T8/K5 for fixed installations	\$599.00
	DWB-3 WHT	Wall-Mount-Adaptor for up to 3 DVA T8/K5 for fixed installations in white	\$599.00
	DO-218	Dolly for S30 (incl. wheels)	\$559.00
	DO-18	Dolly for S1518,S2585 (incl. wheels)	\$449.00
	DWK-20	Set with 4 x Prof. Bluewheel for DVA Sub or DT-6 Trolley	\$149.00
	AFL 05	Powercon-Powercon link cable. 1.5m length	\$109.00
	DCK-45	Cable-Set for DVA T8/T12/K5/M2M; 1x PowerCon(10m), 3x PowerCon Link(0,5m), 3x XLR(0,5m)	\$449.00
	DCK-15	Cable-Set for DVA T8/T12/K5/M2M; 1x PowerCon Link(0,5m), 1x XLR(0,5m)	\$139.00
	DPC-15	PowerCon Patch 0,5m	\$74.00
	DAC-15	XLR-Patch 0,5m	\$66.00
	DCK-27	Cable-set for DVA M2M/MS12/T12/T8/K5; 2 x Powercon Link, 2 x XLR, 70cm	\$299.00
	RDC-45M	RDNET cable RJ45 to XLR-M, converts data signal XLR male connector, 6cm	\$99.00
	RDC-45F	RDNET cable RJ45 to XLR-F, converts data signal XLR female connector, 6cm	\$99.00
DVA Mini Array Series			
	DVA M2M + M2S	2-Way Active Master Line Array Module and 2-Way Slave Line Array Module, 2x6.5" Neo Woofers incl. Phaseplug, 2x1" Neo Drivers, 200(M2M)+200(M2S)W/RMS, 90-19,000 Hz, 126 dB SPL, SMPS with auto-range, 460x190x345mm, M2M: 7.6 kg, M2S: 7.1 kg	\$2,549.00
	DVA M2M + M2SW	Same as above in white	\$2,629.00
	DVA MS12	Active Bass-Reflex Flyable Subwoofer, 1x12" Woofer, 700 W/RMS, 45-140 Hz, 131dB SPL, SMPS with auto-range, Integrated flying hardware, 460x430x385 mm, 26.5 kg	\$2,099.00
	DVA MS12W	Same as above in white	\$2,179.00
	DVA M2P	2-Way Passive Line Array Module, 2x6.5" Neo Woofers incl. Phaseplug, 2x1" Neo Drivers, 150 W/RMS, 78-19.000 Hz [±6dB], 126 dB SPL. Black. Dimensions: 460x190x345 mm, Weight: 7.1 kg SHIPS IN PAIRS.	\$2,099.00
DVA Mini Accessories			
	DRK-M5	Flybar for DVA MINI	\$799.00
	DRK-M5 W	Fly bar for hanging up to 16 x DVA Mini modules. White	\$799.00
	DSA-M2	Pole mount adapter for DVA MINI	\$349.00
	DS2-S	Mini pole for all DVA subwoofers	\$54.00
	DS 2	Professional Pole Mount, adjustable, M20 thread	\$72.00
	DSF-M2	Adapter for fixing DVA M2 to SUB-H and SUB-D	\$349.00
	DGS-MS12	Base for ground stacking DVA MS12 and DVA M2	\$139.00
	ADT-8-MINI	Metal-trolley for DVA MINI	\$539.00
	DCK-27	Cable-set for DVA M2M/MS12/T12/T8/K5; 2 x Powercon Link, 2 x XLR, 70cm	\$299.00
	RC M2	Rain cover for DVA M2M and M2S	\$60.00
	RC MS12-SUBH	Rain cover for DVA MS12	\$60.00

DVX Monitors			
	DVX DM 12TH	2-way stage monitor, 1 x 12" RCF neodymium woofer with 3" VC, 1 x 1.4" neodymium CD-driver with 3" VC, rotatable aluminum CD-Horn (90°x40°), rotatable frontal panel (left/right config) 1500W/RMS, 63Hz-16KHz, 136 dB SPL, SMPS with PFC, 670x325x405mm, 24.5kg/54lbs	\$3,899.00
	DVX DM 15TH	2-way stage monitor, 1x15" RCF neodymium woofer with 4" VC, 1 x 1.4" neodymium CD-driver with 3" VC, rotatable aluminum CD-Horn (90°x40°), rotatable frontal panel (left/right config) 1500W/RMS, 55Hz-16KHz, 136 dB SPL, SMPS with PFC, 735x355x447mm, 28.5kg/62.8lbs	\$4,049.00
	DVX DM 28	2-way stage monitor, 2 x 8" RCF neodymium woofers with 2.5" VC, 1 x 1" neodymium HF-driver with 1.75" VC, asymmetrical CD-Horn (90°x 60°/40°), 750W/RMS, 70Hz-20KHz, SPL max. 130dB, Dimensions 480x265x418mm, weight 14kg/30.8lbs	\$2,249.00
	DVX DM 12	2-way stage monitor, 1 x 12" RCF neodymium woofer with 3" VC, 1 x 1.4" neodymium CD-driver with 2.5" VC, CD-Horn (40°+ 90°), 750W/RMS, 55Hz-20KHz, SPL max. 131dB, Dimensions 660x305x378mm, weight 17.5kg/38.5lbs	\$2,819.00
	DVX DM 15	2-way stage monitor, 1 x 15" RCF neodymium woofer with 3" VC, 1 x 1.4" neodymium CD-driver with 2.5" VC, CD-Horn (40°+ 90°), 750W/RMS 55Hz-20KHz, SPL max. 132dB, Dimensions 660x305x378mm, weight 21kg/46.3lbs	\$2,929.00
DVX Accessories			
	TC12M	Cover for DVX DM12	\$109.00
	TC15M	Cover for DVX DM15	\$109.00
	TC28M	Cover for DVX DM28	\$60.00
Ingenia Series			
	IG1T	2-way Active Speaker 2x6.5" neo woofers, 1" comp. driver, 400W digipro® G3, 56 bit DSP, OLED display with control knob, digital steering coverage, infrared EPD (Element Position Detection) system. Dimensions: 195x536x271mm (7.68x21.10x10.67in), Weight 23.4lbs.	\$1,789.00
	IG2T	2-way Active Speaker 2x8" neo woofers, 1" comp. driver, 400W digipro® G3, 56 bit DSP, OLED display with control knob, digital steering coverage, infrared EPD (Element Position Detection) system. Dimensions: 228x646x315mm (8.98x25.43x12.40in), Weight 12.8Kg – 28.22lbs.	\$2,179.00
	IG3T	2-way Active Speaker 2x10" neo woofers, 1.4" comp. driver, 700W digipro® G3, 56 bit DSP, OLED display with control knob, digital steering coverage, infrared EPD (Element Position Detection) system. Dimensions: 280x806x393mm (11.02x31.73x15.47in), Weight 49lbs.	\$2,849.00
	IG4T	2-way Active Speaker 4x6.5" neo woofers, 1.4" comp. driver, 700W digipro® G3, 56 bit DSP, OLED display with control knob, digital steering coverage, infrared EPD (Element Position Detection) system. Dimensions: 195x956x271mm (7.68x37.64x10.67in), Weight 42.8lbs.	\$2,959.00
Ingenia Accessories			
	DRK-IG	Flybar for INGENIA Series	\$599.00
	RC-M1	Magnetic rain cover for INGENIA Series	\$149.00
	GSA-IG	Subwoofer mounting adapter for INGENIA series speaker. Compatible Subwoofers: DVA S09DP, DVA S1521N, DVA S1518N, DVA S2585N, SUB15H, SUB18H	\$54.00
	TA-IG	DRK-IG fly-bar adapter for ALISCAFF clamp mounting	\$34.00
	TC-IG1T	Transport Cover for IG1T	\$119.00
	TC-IG2T	Transport Cover for IG2T	\$119.00
	TC-IG3T	Transport Cover for IG3T	\$149.00
	TC-IG4T	Transport Cover for IG4T	\$149.00
	WB-IG14	Wall Bracket for IG1T/IG4T	\$319.00
	WB-IG2	Wall Bracket for IG2T	\$389.00
	LP-IG	Link bracket for INGENIA Series. Sold in pairs	\$89.00
Miniboxes			
	K 70	Compact Active Speaker 1x5" dB Bass + Tweeter, 100W / Music, 50W / RMS, 101 dB SPL max, 100 – 16.000Hz, Dimensions 170x270x185 mm, Weight 3.5 Kg	\$299.00
	K 162	Compact Active Speaker 2 x 6.5" dB Bass + Tweeter, 130W / Music, 65W / RMS, 110 dB SPL max, 85 – 19.000 Hz, Dimensions 210x350x270mm, Weight 5.5 Kg	\$359.00
	K 300	Compact Active Speaker 2 x 6.5" neodymium woofer with 1.5"VC, 1" neodymium driver, Class-D Bi-Amp 120 W/RMS, max. SPL peak 118dB, Dimensions 210x350x270 mm, weight 5.5Kg	\$569.00
	L 80D	2x5" broadband chassis with phase correction, 80 W music / 40 W RMS, 100dB SPL max, 65-17.000Hz, dimensions: 195x195x317 mm, Weight 3,1 Kg.	\$399.00
	L 160D	Compact Active Speaker 2x5" woofer 1" coaxial tweeter, 160W digipack, DSP 24bit 48 kHz, 116 dB SPL max, 63-20.000Hz, Dimensions: 200x335x220 mm, Weight 5.2Kg.	\$499.00
Accessories			
	WB11	Speaker Stand adaptor / wallmount bracket for L-, K-Series	\$99.00
	WB 03	Swivel and tilt wallmount bracket for L-, K-Series, black	\$54.00
	SN 130	Microphone Stand adaptor for L-, K-Series	\$66.00
	TT06	Cover for K-Series	\$66.00
	AK 50	Removable handle for MINIBOX K162 and K300. Black.	\$34.00
Controllers			
	AC26N	Digital Audio Controller, 2in/6out, 2 channel AES/EBU I/O, RNet & USB interface	\$1,379.00

DVX Passive Series			
	DVX P8	2-way passive speaker, 8" woofer with 2" VC, 1" Neodym compression driver with 1.5" VC, rotatable CD-Horn (90°x70°), 300W/RMS, 75Hz-20KHz, 125 dB SPL, Dimensions 250x425x260mm, weight 9.8kg/21.6lbs.	\$1,099.00
	DVX P10	2-way passive speaker, 10" woofer with 2" VC, 1" Neodym compression driver with 1.5" VC, rotatable CD-Horn (90°x70°), 300W/RMS, 70Hz-20KHz, 127 dB SPL, Dimensions 290x510x310mm, weight 12.5kg/27.6lbs.	\$1,229.00
	DVX P12	2-way passive speaker, 12" woofer with 3" VC, 1.4" Neodym compression driver with 2.5" VC, rotatable CD-Horn (90°x70°), 500W/RMS, 90Hz-20KHz, 133 dB SPL, Dimensions 370x625x395mm, weight 23.2kg/51.1lbs.	\$1,749.00
	DVX P15	2-way passive speaker, 15" woofer with 3" VC, 1.4" Neodym compression driver with 2.5" VC, rotatable CD-Horn (90°x40°), 500W/RMS, 60Hz-20KHz, 133 dB SPL, Dimensions 430x690x450mm, weight 26.1kg/57.5lbs.	\$1,999.00
	DVX P215	Passive speaker, 2x15" woofer with 3" VC, 1.4" Neodym compression driver with 2.5" VC, rotatable CD-Horn (90°x40°).	\$3,299.00
	DVX PSW15	Passive subwoofer, 15" woofer with 3" VC, 1000W Peak power, 500W/RMS, 35Hz-200Hz, 132 dB SPL, Dimensions 470x627x600mm, weight 30.9kg/68.1lbs.	\$1,589.00
	DVX PSW18	Passive subwoofer, 1x18" woofer with 4" VC, 2000W Peak power, 1000W/RMS, 28Hz-200Hz, 134 dB SPL, Dimensions 565x710x700mm, weight 44.1kg/97.2lbs.	\$1,979.00
	DVX PSW218	Passive subwoofer, 2x18" woofer with 4" VC, 4000W Peak power, 2000W/RMS, 28Hz-200Hz, 140 dB SPL, Dimensions 565x1207x700mm, weight 74.2kg/163lbs.	\$2,969.00
DVX Accessories			
	DTF 8	Easy mount bracket for DVX D8, includes 2x quick release pins	\$299.00
	DTF 10	Easy mount bracket for DVX D10, includes 2x quick release pins	\$299.00
	DTF 12	Easy mount bracket for DVX D12, includes 2x quick release pins	\$449.00
	DTF 15	Easy mount bracket for DVX D15, includes 2x quick release pins	\$469.00
	DTF 8A	Mounting bracket for DVX D8HP, can be mounted on any kind of structure.	\$239.00
	DTF 10A	Mounting bracket for DVX D10HP, can be mounted on any kind of structure.	\$239.00
	WB 09	Universal wall mount bracket, swivel and tilt Ø35mm pole mount.	\$99.00
	TC8	Cover for DVX D8	\$60.00
	TC10	Cover for DVX D10	\$76.00
	TC12	Cover for DVX D12	\$82.00
	TC15	Cover for DVX D15	\$90.00
	TE M10	Eye-bolt set with M10-thread for DVX D12/D15	\$36.00
	TE M8	Eye-bolt set with M8-thread for DVX D8/D10	\$36.00